

# 2015 Ontario Hospitals

## Maternal-Child Services Report

### Section III: Neonatal and Obstetrical Indicators

#### Neonatal Indicators

TAB	CONTENTS	Data Source
<a href="#">1.0</a>	<a href="#">Provincial Overview</a>	
<a href="#">SCN1.01</a>	Percent Distribution of Births Under 32 Weeks or 1500 Grams	BORN Ontario
<a href="#">2.0</a>	<a href="#">Neonatal Distribution</a>	
<a href="#">SCN2.01</a>	Neonatal Inpatient Cases	CIHI DAD
<a href="#">SCN2.02</a>	Neonatal Average LOS	CIHI DAD
<a href="#">SCN2.03</a>	Total Average Inpatient Weight per Case	CIHI DAD
<a href="#">SCN2.04</a>	Percent Neonatal "Transfer From" Inpatient Cases and Patient Days	CIHI DAD
<a href="#">SCN2.05</a>	Percent Neonatal "Transfer To" Inpatient Cases and Patient Days	CIHI DAD
<a href="#">SCN2.06</a>	Percent Cases and Days with LOS > 30 Days	CIHI DAD
<a href="#">3.0</a>	<a href="#">NICU/SCN Distribution</a>	
<a href="#">SCN3.01</a>	NICU/SCN Inpatient Cases	CIHI DAD
<a href="#">SCN3.02</a>	NICU/SCN Age Profile	CIHI DAD
<a href="#">SCN3.03</a>	NICU/SCN Average LOS	CIHI DAD
<a href="#">SCN3.04</a>	Percent NICU/SCN "Transfer From" Inpatient Cases	CIHI DAD
<a href="#">SCN3.05</a>	Percent NICU/SCN "Transfer To" Inpatient Cases	CIHI DAD

#### Obstetrical Indicators

TAB	CONTENTS	Data Source
<a href="#">1.0</a>	<a href="#">Hospital Descriptors</a>	
<a href="#">OBS 1.01</a>	Obstetrical Volumes and Births	CIHI DAD
<a href="#">OBS 1.02</a>	Obstetrical Age Profile	CIHI DAD
<a href="#">OBS 1.03</a>	Average Length of Stay	CIHI DAD
<a href="#">OBS 1.04</a>	Total Average Inpatient Weight per Case	CIHI DAD
<a href="#">OBS 1.05</a>	Percent Typical, Outlier & Other Inpatient Cases and Patient Days	CIHI DAD
<a href="#">OBS 1.06</a>	Percent Obstetrical "Transfer From" Inpatient Cases and Patient Days	CIHI DAD
<a href="#">OBS 1.07</a>	Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days	CIHI DAD
<a href="#">OBS 1.08</a>	Percent Cases and Days with Length of Stay > 30 Days	CIHI DAD
<a href="#">OBS 1.09</a>	Obstetrical Top 5 CMGs	CIHI DAD

**1.0 Provincial Overview**


**SCN 1.01 - Percent Distribution of Births Under 32 Weeks or 1500 Grams**

The optimal site for birth of infants less than 32 weeks gestation and a birth weight of under 1,500 grams is in a hospital with a Level III NICU. It is well documented in the literature that the morbidity and mortality rate is higher for these infants when born outside a designated Level III perinatal centre. When possible, women in labour with a fetus less than 32 weeks gestation should be transferred to a Level III unit with fetus in utero.

Note: Some Level IIc units deliver infants at 30 and 31 weeks gestation based on historical practice. This is not yet broadly applied for all Level IIc units.

This graph displays the percent distribution of infants less than 32 weeks gestation or birth weight of under 1,500 grams born at each level of care.

Place of Birth Level	Cases	%
Level I	84	4.0
Level II	676	32.1
Level III	1,346	63.9
<b>Total</b>	<b>2,106</b>	<b>100.0</b>



**Data source:** BORN Ontario, 2014-2015 Extracted on Feb 10, 2016

**Indicator definition:** This analysis includes 500 grams <= birth weight <1500 grams or 20 weeks <= gestational week <32 weeks with all hospital live births for Ontario residents only.

**Note:**

1. This analysis included all hospitals's submission Up to Feb 10, 2016
2. Provincially volume in FY14/15 (2,106) is 8% higher than FY13/14 (1,953). But due to incompleated submissions for some hospitals the provincial volume might even be higher.

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.01 - Neonatal Inpatient Cases**

This table presents the total number of neonatal cases and neonatal cases as a percent of all inpatient cases 0-17 years of age. The cases are also broken into typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient case episode. These cases include: deaths, long stays, transfer to/or from other acute care institutions and sign outs.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
I	AGH	102	98%	92%	8%
I	AMGH	19	56%	68%	32%
I	BGH	152	61%	89%	11%
I	CCH	207	37%	93%	7%
I	CGMH	66	54%	53%	47%
I	DRHC	34	42%	82%	18%
I	GBGH	44	50%	75%	25%
I	GMCH	180	82%	94%	6%
I	HGH	60	82%	90%	10%
I	HHCC	307	43%	93%	7%
I	HHS-Georgetown	63	64%	89%	11%
I	HHS-Milton	134	76%	73%	27%
I	HRH-Church	297	93%	72%	28%
I	LH-Port Perry	83	83%	90%	10%
I	MAHC	53	54%	77%	23%
I	MHA-SMGH	15	32%	87%	13%
I	NGH	42	75%	83%	17%
I	NHH	126	69%	84%	16%
I	QHC	768	64%	93%	7%
I	RMH	100	77%	76%	24%
I	SBGHC	84	73%	90%	10%
I	SLMHC	164	44%	88%	12%
I	Stevenson	65	79%	88%	12%
I	WAHA	17	24%	76%	24%
I	WDMH	103	97%	81%	19%
I	WGH	134	57%	83%	17%
I	WLMH	139	97%	80%	20%
I	WPSHC	30	38%	80%	20%
Ila	BWH	526	48%	94%	6%
Ila	CMH	856	50%	94%	6%
Ila	Montfort	1252	99%	93%	7%
Ila	STEGH	200	40%	85%	15%
Ilb	BCHS	447	39%	81%	19%
Ilb	CKHA	345	50%	89%	11%
Ilb	GBHS	308	41%	83%	17%
Ilb	GRH	1729	54%	91%	9%
Ilb	HHS-Oakville-Trafalgar	726	40%	88%	12%
Ilb	HRH-Finch	666	45%	76%	24%
Ilb	JBH	552	59%	88%	12%
Ilb	NHS	1385	42%	89%	11%
Ilb	PRHC	732	47%	88%	12%
Ilb	RVHS-Ajax&Pickering	592	61%	94%	6%
Ilb	SJHC Hamilton	1101	98%	80%	20%
Ilb	SJHC Toronto	1178	58%	90%	10%
Ilb	Southlake	786	38%	90%	10%
Ilb	THP-MH	1105	54%	92%	8%

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Neonatal Indicators

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.01 - Neonatal Inpatient Cases**

This table presents the total number of neonatal cases and neonatal cases as a percent of all inpatient cases 0-17 years of age. The cases are also broken into typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient case episode. These cases include: deaths, long stays, transfer to/or from other acute care institutions and sign outs.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
IIb	TSH-Birchmount	686	58%	93%	7%
IIb	WOHS-Etobicoke	1124	51%	93%	7%
IIc	HSN	615	38%	88%	12%
IIc	LH-Oshawa	1119	40%	90%	10%
IIc	MH	1044	56%	94%	6%
IIc	MSH	1120	62%	93%	7%
IIc	NBRHC	469	43%	84%	16%
IIc	NYGH	2812	66%	94%	6%
IIc	OSMH	504	45%	80%	20%
IIc	RVH	598	47%	89%	11%
IIc	RVHS-Centenary	942	40%	87%	13%
IIc	SAH	345	38%	93%	7%
IIc	SMH	974	93%	81%	19%
IIc	TBRHSC	748	35%	88%	12%
IIc	TEGH	1385	64%	91%	9%
IIc	THP-CVH	1646	49%	85%	15%
IIc	TOH-Civic	1239	95%	90%	10%
IIc	TSH-General	1107	64%	93%	7%
IIc	WOHS-Brampton	2606	50%	94%	6%
IIc	WRH	1164	46%	91%	9%
IIIa	Mt Sinai	2820	97%	69%	31%
IIIa	Sunnybrook	1575	93%	66%	34%
IIIa	TOH-General	1381	95%	79%	21%
IIIb	CH LHSC	2030	32%	82%	18%
IIIb	CHEO	675	10%	44%	56%
IIIb	KGH	806	36%	87%	13%
IIIb	MCH HHSC	1892	24%	59%	41%
IIIb	Sickkids	1235	8%	25%	75%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
IIb	HHS	923	44%	86%	14%
IIb	HRH	963	51%	74%	26%
IIb	WOHS	3730	50%	94%	6%
IIc	LH	1202	41%	90%	10%
IIc	RVHS	1534	46%	89%	11%
IIc	TSH	1793	62%	93%	7%
III	TOH	2620	95%	84%	16%

## 2015 Ontario Hospitals Maternal-Child Services Report

Provincial Council for Maternal and Child Health  
www.pcmch.on.ca

### Section III: Population Specific Indicators - Neonatal Indicators

#### 2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

#### SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
I	AGH	2.5	2.4	2.5	2.5	2.3
I	AMGH	2.5	1.7	1.8	1.7	1.8
I	BGH	2.6	2.7	2.4	2	2.2
I	CCH	2.6	2.5	2.1	2.5	3
I	CGMH	1.7	1.8	1.6	1.8	1.5
I	DRHC	3.1	3	2.7	3.3	3.2
I	GBGH	2.8	3.1	2.1	2.2	2.6
I	GMCH	2	2.1	1.7	1.7	1.8
I	HGH	2	2	2	2	1.9
I	HHCC	2.9	2.5	2.5	2.1	2
I	HHS-Georgetown	2.1	1.8	1.7	1.8	1.7
I	HHS-Milton	2.6	2.7	2.3	2.1	2
I	HRH-Church	2.8	2	1.6	1.7	1.6
I	LH-Port Perry	2.2	2.1	2.1	2	1.8
I	MAHC	2	2.2	2	1.6	2
I	MHA-SMGH	2.1	2.6	2	1.6	2.1
I	NGH	2.1	2.3	2.3	2	2
I	NHH	2.3	2.3	2.1	2.2	2
I	QHC	3.3	3.5	3.7	3.2	3
I	RMH	2.3	2.3	2.2	2.2	1.6
I	SBGHC	2.1	1.8	1.8	1.8	1.7
I	SLMHC	2.4	2	2.3	2.5	2.7
I	Stevenson	1.7	2	1.7	1.4	1.4
I	WAHA	4.5	5.7	3.6	3.1	3.1
I	WDMH	2.2	2.2	2.1	1.7	1.7
I	WGH	2.2	2.1	1.9	1.8	1.8
I	WLMH	2.1	2	1.8	1.7	1.8
I	WPSHC	3	2.6	2.7	2.5	2.3

## 2015 Ontario Hospitals Maternal-Child Services Report

Provincial Council for Maternal and Child Health  
www.pcmch.on.ca

### Section III: Population Specific Indicators - Neonatal Indicators

#### 2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

#### SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
Ila	BWH	5.1	4.9	4.2	4.1	3.5
Ila	CMH	3	3.1	3.5	3.2	3
Ila	Montfort	2.8	3.3	3	2.8	2.4
Ila	STEGH	4.8	4.2	4.9	4.7	4.3
Ilb	BCHS	5.5	5.2	5.4	5.1	5.2
Ilb	CKHA	3	3	3.5	3.7	3.5
Ilb	GBHS	4.9	4.9	5.8	5.8	5.9
Ilb	GRH	4.5	4.7	4.4	4.3	3.8
Ilb	HHS-Oakville-Trafalgar	4	3.8	3.9	3.4	3.6
Ilb	HRH-Finch	4.9	5.4	5.5	5	4.9
Ilb	JBH	3	3.6	4	3.7	3.6
Ilb	NHS	4.6	4.3	4.4	3.7	3.9
Ilb	PRHC	4.8	4.9	5.3	4.6	4.9
Ilb	RVHS-Ajax&Pickering	2.2	2.2	2.4	2.6	2.5
Ilb	SJHC Hamilton	6.3	6.3	5.9	5.4	5.7
Ilb	SJHC Toronto	3.9	4	4	4.2	4.2
Ilb	Southlake	4.7	5	4.9	4.9	4.8
Ilb	THP-MH	4.1	3.6	4.1	4	3.8
Ilb	TSH-Birchmount	4.2	4.8	4.1	4.3	3.5
Ilb	WOHS-Etobicoke	3.4	3.1	2.8	3.2	3.3
Ilc	HSN	6.3	5.7	6.1	5.5	5.1
Ilc	LH-Oshawa	4.4	4.4	4.1	4	4.5
Ilc	MH	3.4	3.6	3.4	3.8	3.5
Ilc	MSH	3.4	3.4	3.7	3.6	3.3
Ilc	NBRHC	5.7	5.4	5.7	5.4	5.4
Ilc	NYGH	3.9	3.6	3.4	3.2	3.3

## 2015 Ontario Hospitals Maternal-Child Services Report

### Section III: Population Specific Indicators - Neonatal Indicators

#### 2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

#### SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
IIc	OSMH	8	6.8	6.4	4.9	5.3
IIc	RVH	6.4	6.4	7.1	6.7	5.4
IIc	RVHS-Centenary	5.9	6.3	5.8	5.6	6
IIc	SAH	5.1	5.2	4.9	5.5	4.7
IIc	SMH	6	5.6	5.9	6	6.4
IIc	TBRHSC	6.7	7.2	7	6.9	6.6
IIc	TEGH	4.2	4.5	4.5	4.2	3.7
IIc	THP-CVH	6.4	6.3	6.8	6.2	6.3
IIc	TOH-Civic	6.7	5.8	5.7	5.8	5.6
IIc	TSH-General	3.6	3.6	3.7	3.6	3.7
IIc	WOHS-Brampton	5.3	4.3	3.8	4	4.1
IIc	WRH	6.2	5.8	6.1	6.3	5.8
IIIa	Mt Sinai	7.4	7.6	7.1	7.1	7.1
IIIa	Sunnybrook	11.3	10.3	9.8	7.9	8.8
IIIa	TOH-General	6.9	7.1	7.4	6.6	6.3
IIIb	CH LHSC	6.6	8.4	9.8	8.6	9.6
IIIb	CHEO	11.2	12.1	11	11	11.6
IIIb	KGH	9.1	10	11.8	7.9	8.4
IIIb	MCH HHSC	11.8	11.8	12.5	11.8	11.4
IIIb	Sickkids	20	17.3	18.8	21.2	21.1

LOC	Hospital	Multi-Site Organizations Grouped at their Highest Level of Care				
		FY1011	FY1112	FY1213	FY1314	FY1415
IIb	HHS	3.6	3.4	3.4	3.1	3.2
IIb	HRH	4.2	4.3	4.1	4.1	3.8
IIb	WOHS	4.6	3.9	3.5	3.7	3.8
IIc	LH	4.2	4.1	4	3.8	4.3
IIc	RVHS	4.6	4.6	4.6	4.4	4.6
IIc	TSH	3.8	4.1	3.9	3.9	3.6
III	TOH	6.8	6.5	6.5	6.2	6

## 2015 Ontario Hospitals Maternal-Child Services Report

### Section III: Population Specific Indicators - Neonatal Indicators

#### 2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

#### SCN 2.03 - Total Average Inpatient Weight per Case

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
I	AGH	0.32	0.44	0.33	0.32	0.33
I	AMGH	0.34	0.37	0.26	0.43	0.34
I	BGH	0.41	0.5	0.42	0.37	0.42
I	CCH	0.51	0.48	0.45	0.58	0.59
I	CGMH	0.27	0.32	0.28	0.33	0.27
I	DRHC	0.33	0.4	0.32	0.41	0.41
I	GBGH	0.34	0.32	0.32	0.3	0.32
I	GMCH	0.31	0.35	0.32	0.32	0.35
I	HGH	0.32	0.33	0.37	0.34	0.32
I	HHCC	0.51	0.49	0.42	0.35	0.35
I	HHS-Georgetown	0.40	0.39	0.37	0.33	0.30
I	HHS-Milton	0.32	0.33	0.29	0.30	0.33
I	HRH-Church	0.45	0.36	0.28	0.29	0.27
I	LH-Port Perry	0.28	0.28	0.33	0.30	0.31
I	MAHC	0.37	0.32	0.31	0.32	0.3
I	MHA-SMGH	0.27	0.31	0.3	0.27	0.33
I	NGH	0.3	0.36	0.3	0.32	0.33
I	NHH	0.31	0.32	0.31	0.33	0.34
I	QHC	0.63	0.6	0.65	0.62	0.58
I	RMH	0.29	0.29	0.3	0.35	0.29
I	SBGHC	0.32	0.33	0.31	0.33	0.33
I	SLMHC	0.4	0.37	0.34	0.39	0.45
I	Stevenson	0.32	0.35	0.31	0.3	0.38
I	WAHA	0.48	0.78	0.44	0.51	0.5
I	WDMH	0.31	0.3	0.32	0.31	0.3
I	WGH	0.36	0.34	0.31	0.32	0.32
I	WLMH	0.35	0.34	0.32	0.3	0.31
I	WPSHC	0.3	0.3	0.3	0.33	0.3



## 2015 Ontario Hospitals Maternal-Child Services Report

### Section III: Population Specific Indicators - Neonatal Indicators

#### 2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

#### SCN 2.03 - Total Average Inpatient Weight per Case

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
Ila	BWH	0.81	0.79	0.69	0.73	0.65
Ila	CMH	0.51	0.56	0.63	0.58	0.55
Ila	Montfort	0.48	0.58	0.53	0.51	0.46
Ila	STEGH	0.96	0.78	0.96	0.88	0.88
Ilb	BCHS	0.93	0.91	0.9	0.88	0.95
Ilb	CKHA	0.51	0.53	0.63	0.6	0.69
Ilb	GBHS	0.93	1.1	1.16	1.08	1.23
Ilb	GRH	0.86	0.89	0.86	0.83	0.74
Ilb	HHS-Oakville-Trafalgar	0.68	0.71	0.74	0.63	0.65
Ilb	HRH-Finch	0.89	1.01	1.05	0.90	0.93
Ilb	JBH	0.55	0.62	0.7	0.74	0.71
Ilb	NHS	0.79	0.75	0.78	0.63	0.7
Ilb	PRHC	0.86	0.85	0.95	0.86	0.93
Ilb	RVHS-Ajax&Pickering	0.48	0.49	0.50	0.57	0.57
Ilb	SJHC Hamilton	1.14	1.17	1.05	0.92	1.06
Ilb	SJHC Toronto	0.75	0.81	0.84	0.91	0.89
Ilb	Southlake	0.9	0.97	0.94	0.97	0.96
Ilb	THP-MH	0.72	0.63	0.73	0.71	0.68
Ilb	TSH-Birchmount	0.78	0.90	0.74	0.81	0.66
Ilb	WOHS-Etobicoke	0.70	0.57	0.52	0.61	0.61
Ilc	HSN	1.26	1.16	1.26	1.18	1.07
Ilc	LH-Oshawa	0.84	0.92	0.83	0.79	0.89
Ilc	MH	0.78	0.88	0.82	0.87	0.83
Ilc	MSH	0.71	0.72	0.82	0.81	0.76
Ilc	NBRHC	0.98	0.93	0.98	0.92	0.97
Ilc	NYGH	0.76	0.72	0.68	0.66	0.67

Section III: Population Specific Indicators - Neonatal Indicators

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.03 - Total Average Inpatient Weight per Case**

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1011	FY1112	FY1213	FY1314	FY1415
IIc	OSMH	1.54	1.34	1.39	1.18	1.27
IIc	RVH	1.23	1.21	1.33	1.24	1.06
IIc	RVHS-Centenary	1.16	1.15	1.09	1.10	1.13
IIc	SAH	0.87	0.89	0.82	1.05	0.81
IIc	SMH	1.11	1.06	1.17	1.16	1.27
IIc	TBRHSC	1.06	1.07	1.11	1.12	1.01
IIc	TEGH	0.88	0.92	0.97	0.89	0.88
IIc	THP-CVH	1.09	1.15	1.25	1.17	1.18
IIc	TOH-Civic	1.38	1.18	1.12	1.20	1.23
IIc	TSH-General	0.64	0.66	0.67	0.65	0.70
IIc	WOHS-Brampton	1.11	0.86	0.78	0.85	0.87
IIc	WRH	1.56	1.43	1.47	1.58	1.35
IIIa	Mt Sinai	1.87	1.96	1.85	1.77	1.99
IIIa	Sunnybrook	3.16	2.9	2.75	2.17	2.62
IIIa	TOH-General	1.84	1.83	1.85	1.74	1.64
IIIb	CH LHSC	1.53	2.25	2.45	2.17	2.4
IIIb	CHEO	3.43	3.72	3.5	3.18	3.31
IIIb	KGH	1.93	2.15	2.49	1.65	1.92
IIIb	MCH HHSC	3.2	3.01	3.25	3.18	3.13
IIIb	Sickkids	7.27	6.21	6.9	7.54	7.29

LOC	Hospital	Multi-Site Organizations Grouped at their Highest Level of Care				
		FY1011	FY1112	FY1213	FY1314	FY1415
IIb	HHS	0.58	0.61	0.63	0.55	0.58
IIb	HRH	0.74	0.8	0.79	0.72	0.72
IIb	WOHS	0.96	0.76	0.69	0.77	0.79
IIc	LH	0.79	0.86	0.79	0.75	0.85
IIc	RVHS	0.93	0.89	0.88	0.9	0.92
IIc	TSH	0.69	0.75	0.7	0.72	0.69
III	TOH	1.62	1.51	1.48	1.48	1.45

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Neonatal Indicators

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.04 - Percent Neonatal "Transfer From" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer From" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
I	AGH	<6	1%	<6	1%
I	AMGH	<6	5%	<6	3%
I	BGH	0	0%	0	0%
I	CCH	<6	0%	<6	0%
I	CGMH	<6	5%	<6	5%
I	DRHC	<6	12%	14	13%
I	GBGH	0	0%	0	0%
I	GMCH	0	0%	0	0%
I	HGH	0	0%	0	0%
I	HHCC	6	2%	17	3%
I	LH-Port Perry	<6	1%	<6	2%
I	MAHC	0	0%	0	0%
I	MHA-SMGH	0	0%	0	0%
I	NGH	0	0%	0	0%
I	NHH	0	0%	0	0%
I	QHC	14	2%	172	8%
I	RMH	0	0%	0	0%
I	SBGHC	0	0%	0	0%
I	SLMHC	<6	1%	<6	0%
I	Stevenson	0	0%	0	0%
I	WAHA	0	0%	0	0%
I	WDMH	0	0%	0	0%
I	WGH	0	0%	0	0%
I	WLMH	0	0%	0	0%
I	WPSHC	<6	3%	<6	1%

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Neonatal Indicators

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.04 - Percent Neonatal "Transfer From" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer From" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
Ila	BWH	10	2%	121	6%
Ila	CMH	16	2%	209	8%
Ila	Montfort	26	2%	282	9%
Ila	STEGH	20	10%	342	40%
Ilb	BCHS	45	10%	551	24%
Ilb	CKHA	19	6%	147	12%
Ilb	GBHS	23	7%	330	18%
Ilb	GRH	82	5%	1,253	19%
Ilb	HHS-Oakville-Trafalgar	47	6%	554	21%
Ilb	HRH-Finch	107	16%	1,000	31%
Ilb	JBH	45	8%	535	27%
Ilb	NHS	77	6%	1,250	23%
Ilb	PRHC	43	6%	535	15%
Ilb	RVHS-Ajax&Pickering	6	1%	26	2%
Ilb	SJHC Hamilton	138	13%	2,047	32%
Ilb	SJHC Toronto	75	6%	1,044	21%
Ilb	Southlake	35	4%	567	15%
Ilb	THP-MH	40	4%	572	14%
Ilb	TSH-Birchmount	12	2%	138	6%
Ilb	WOHS-Etobicoke	23	2%	345	9%
Ilc	HSN	23	4%	277	9%
Ilc	LH-Oshawa	74	7%	1,054	21%
Ilc	MH	38	4%	788	21%
Ilc	MSH	24	2%	323	9%
Ilc	NBRHC	21	4%	436	17%
Ilc	NYGH	84	3%	1,826	19%

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Neonatal Indicators

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.04 - Percent Neonatal "Transfer From" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer From" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
IIc	OSMH	79	16%	609	23%
IIc	RVH	26	4%	379	12%
IIc	RVHS-Centenary	80	8%	1,883	33%
IIc	SAH	9	3%	150	9%
IIc	SMH	138	14%	2,507	40%
IIc	TBRHSC	23	3%	278	6%
IIc	TEGH	67	5%	1,090	21%
IIc	THP-CVH	130	8%	2,597	25%
IIc	TOH-Civic	66	5%	1,278	18%
IIc	TSH-General	25	2%	426	10%
IIc	WOHS-Brampton	68	3%	1,357	13%
IIc	WRH	34	3%	638	9%
IIIa	Mt Sinai	16	1%	334	2%
IIIa	Sunnybrook	54	3%	1,709	12%
IIIa	TOH-General	30	2%	618	7%
IIIb	CH LHSC	184	9%	3,024	16%
IIIb	CHEO	337	50%	5,964	76%
IIIb	KGH	42	5%	707	10%
IIIb	MCH HHSC	282	15%	4,237	20%
IIIb	Sickkids	886	72%	22,697	87%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
IIb	HHS	47	5%	554	19%
IIb	HRH	107	11%	1,000	27%
IIb	WOHS	91	2%	1,702	12%
IIc	LH	75	6%	1,057	21%
IIc	RVHS	86	6%	1,909	27%
IIc	TSH	37	2%	564	9%
III	TOH	96	4%	1,896	12%

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

**SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
I	AGH	7	7%	7	3%
I	AMGH	<6	21%	<6	14%
I	BGH	11	7%	14	4%
I	CCH	11	5%	39	6%
I	CGMH	28	42%	29	30%
I	DRHC	<6	3%	<6	1%
I	GBGH	10	23%	11	10%
I	GMCH	10	6%	10	3%
I	HGH	<6	8%	6	5%
I	HHCC	17	6%	22	4%
I	HHS-Georgetown	7	11%	8	7%
I	HHS-Milton	36	27%	42	16%
I	HRH-Church	82	28%	86	18%
I	LH-Port Perry	7	8%	10	7%
I	MAHC	12	23%	17	16%
I	MHA-SMGH	<6	13%	<6	10%
I	NGH	7	17%	7	8%
I	NHH	20	16%	21	8%
I	QHC	30	4%	103	4%
I	RMH	24	24%	25	16%
I	SBGHC	8	10%	8	6%
I	SLMHC	15	9%	15	3%
I	Stevenson	8	12%	8	9%
I	WAHA	<6	18%	12	23%
I	WDMH	19	18%	21	12%
I	WGH	23	17%	25	10%
I	WLMH	26	19%	29	12%
I	WPSHC	<6	13%	<6	6%

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

**SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
Ila	BWH	13	2%	21	1%
Ila	CMH	23	3%	58	2%
Ila	Montfort	44	4%	71	2%
Ila	STEGH	7	4%	28	3%
IIb	BCHS	22	5%	90	4%
IIb	CKHA	17	5%	26	2%
IIb	GBHS	19	6%	55	3%
IIb	GRH	55	3%	201	3%
IIb	HHS-Oakville-Trafalgar	28	4%	96	4%
IIb	HRH-Finch	32	5%	102	3%
IIb	JBH	15	3%	47	2%
IIb	NHS	55	4%	163	3%
IIb	PRHC	26	4%	76	2%
IIb	RVHS-Ajax&Pickering	26	4%	36	2%
IIb	SJHC Hamilton	53	5%	250	4%
IIb	SJHC Toronto	18	2%	27	1%
IIb	Southlake	26	3%	85	2%
IIb	THP-MH	33	3%	192	5%
IIb	TSH-Birchmount	19	3%	54	2%
IIb	WOHS-Etobicoke	34	3%	165	4%
IIc	HSN	31	5%	188	6%
IIc	LH-Oshawa	29	3%	99	2%
IIc	MH	22	2%	143	4%
IIc	MSH	40	4%	126	3%
IIc	NBRHC	28	6%	119	5%
IIc	NYGH	46	2%	171	2%

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

**SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days**

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
IIc	OSMH	23	5%	104	4%
IIc	RVH	21	4%	81	2%
IIc	RVHS-Centenary	34	4%	185	3%
IIc	SAH	14	4%	24	1%
IIc	SMH	44	5%	300	5%
IIc	TBRHSC	21	3%	134	3%
IIc	TEGH	41	3%	102	2%
IIc	THP-CVH	62	4%	339	3%
IIc	TOH-Civic	39	3%	282	4%
IIc	TSH-General	36	3%	190	5%
IIc	WOHS-Brampton	66	3%	307	3%
IIc	WRH	47	4%	257	4%
IIIa	Mt Sinai	740	26%	11,150	56%
IIIa	Sunnybrook	485	31%	9,026	65%
IIIa	TOH-General	233	17%	2,760	32%
IIIb	CH LHSC	173	9%	3,007	15%
IIIb	CHEO	81	12%	1,039	13%
IIIb	KGH	30	4%	646	9%
IIIb	MCH HHSC	547	29%	7,775	36%
IIIb	Sickkids	400	32%	6,148	24%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
IIb	HHS	71	8%	146	5%
IIb	HRH	114	12%	188	5%
IIb	WOHS	100	3%	472	3%
IIc	LH	36	3%	109	2%
IIc	RVHS	60	4%	221	3%
IIc	TSH	55	3%	244	4%
III	TOH	272	10%	3,042	19%



**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.06 - Percent Cases and Days with LOS > 30 Days**

This table shows the percentage of all neonatal inpatient cases and associated days with a total length of stay greater than 30 days. Hospitals with less than 6 cases are indicated as "<6". Hospital with 0 cases are excluded.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
I	CCH	<6	1%	109	18%
I	QHC	<6	0%	34	1%
Ila	BWH	<6	0%	74	4%
Ila	CMH	<6	0%	68	3%
Ila	Montfort	<6	0%	39	1%
Ila	STEGH	<6	2%	106	12%
Ilb	BCHS	<6	1%	104	5%
Ilb	GBHS	<6	2%	206	11%
Ilb	GRH	19	1%	773	12%
Ilb	HHS-Oakville-Trafalga	9	1%	319	12%
Ilb	HRH-Finch	10	2%	392	12%
Ilb	JBH	<6	1%	154	8%
Ilb	NHS	8	1%	315	6%
Ilb	PRHC	10	1%	410	12%
Ilb	SJHC Hamilton	31	3%	1137	18%
Ilb	SJHC Toronto	16	1%	631	13%
Ilb	Southlake	14	2%	538	14%
Ilb	THP-MH	<6	0%	159	4%
Ilb	TSH-Birchmount	1	0%	34	1%
Ilb	WOHS-Etobicoke	3	0%	132	4%
Ilc	HSN	14	2%	546	18%
Ilc	LH-Oshawa	26	2%	1046	21%
Ilc	MH	18	2%	778	21%
Ilc	MSH	13	1%	470	13%
Ilc	NBRHC	17	4%	705	28%
Ilc	NYGH	47	2%	1966	21%
Ilc	OSMH	11	2%	445	17%

**2.0 Neonatal Distribution**

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal( 0-28 days) only.

**SCN 2.06 - Percent Cases and Days with LOS > 30 Days**

This table shows the percentage of all neonatal inpatient cases and associated days with a total length of stay greater than 30 days. Hospitals with less than 6 cases are indicated as "<6". Hospital with 0 cases are excluded.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
IIc	RVH	8	1%	320	10%
IIc	RVHS-Centenary	42	4%	1822	32%
IIc	SAH	6	2%	250	15%
IIc	SMH	40	4%	1678	27%
IIc	TBRHSC	14	2%	556	11%
IIc	TEGH	24	2%	895	18%
IIc	THP-CVH	54	3%	2155	21%
IIc	TOH-Civic	30	2%	1127	16%
IIc	TSH-General	14	1%	567	14%
IIc	WOHS-Brampton	43	2%	1689	16%
IIc	WRH	45	4%	1997	30%
IIIa	Mt Sinai	167	6%	10916	54%
IIIa	Sunnybrook	132	8%	7958	57%
IIIa	TOH-General	63	5%	3604	41%
IIIb	CH LHSC	151	7%	10183	52%
IIIb	CHEO	56	8%	3622	46%
IIIb	KGH	51	6%	2847	42%
IIIb	MCH HHSC	162	9%	12530	58%
IIIb	Sickkids	184	15%	17692	68%

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
IIb	HHS	9	1%	319	11%
IIb	HRH	10	1%	392	11%
IIb	WOHS	46	1%	1821	13%
IIc	LH	26	2%	1046	20%
IIc	RVHS	42	3%	1822	26%
IIc	TSH	15	1%	601	9%
III	TOH	93	4%	4731	30%

**3.0 NICU/SCU Distribution**

**SCN 3.01 - NICU/SCN Inpatient Cases**

This table presents inpatient cases based on the following locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The table further breaks down cases by typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient care episode. These cases include: deaths, long stays, transfer to/or from other acute care institutions and sign outs. Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
I	QHC	290	236	81.4%	54	18.6%
Ila	BWH	206	176	85.4%	30	14.6%
Ila	CMH	377	337	89.4%	40	10.6%
Ila	Montfort	427	345	80.8%	82	19.2%
Ila	STEGH	70	40	57.1%	30	42.9%
IIb	BCHS	245	151	61.6%	94	38.4%
IIb	CKHA	<6	<6	100.0%	0	0.0%
IIb	GBHS	212	167	78.8%	45	21.2%
IIb	GRH	670	508	75.8%	162	24.2%
IIb	HHS-Oakville-Trafalgar	245	159	64.9%	86	35.1%
IIb	HRH-Finch	334	195	58.4%	139	41.6%
IIb	JBH	176	114	64.8%	62	35.2%
IIb	NHS	485	340	70.1%	145	29.9%
IIb	PRHC	343	262	76.4%	81	23.6%
IIb	RVHS-Ajax&Pickering	186	159	85.5%	27	14.5%
IIb	SJHC Hamilton	461	227	49.2%	234	50.8%
IIb	SJHC Toronto	422	311	73.7%	111	26.3%
IIb	Southlake	412	333	80.8%	79	19.2%
IIb	THP-MH	534	450	84.3%	84	15.7%
IIb	TSH-Birchmount	266	224	84.2%	42	15.8%
IIb	WOHS-Etobicoke	406	344	84.7%	62	15.3%
IIc	HSN	313	231	73.8%	82	26.2%
IIc	LH-Oshawa	399	290	72.7%	109	27.3%
IIc	MH	323	249	77.1%	74	22.9%
IIc	MSH	335	255	76.1%	80	23.9%
IIc	NBRHC	251	180	71.7%	71	28.3%
IIc	NYGH	409	259	63.3%	150	36.7%
IIc	OSMH	314	225	71.7%	89	28.3%

**3.0 NICU/SCU Distribution**

**SCN 3.01 - NICU/SCN Inpatient Cases**

This table presents inpatient cases based on the following locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The table further breaks down cases by typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient care episode. These cases include: deaths, long stays, transfer to/from other acute care institutions and sign outs. Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
IIc	RVH	298	242	81.2%	56	18.8%
IIc	RVHS-Centenary	485	356	73.4%	129	26.6%
IIc	SAH	44	31	70.5%	13	29.5%
IIc	SMH	498	299	60.0%	199	40.0%
IIc	TBRHSC	385	286	74.3%	99	25.7%
IIc	TEGH	423	303	71.6%	120	28.4%
IIc	THP-CVH	880	621	70.6%	259	29.4%
IIc	TOH-Civic	795	660	83.0%	135	17.0%
IIc	TSH-General	331	262	79.2%	69	20.8%
IIc	WOHS-Brampton	1,083	901	83.2%	182	16.8%
IIc	WRH	479	382	79.7%	97	20.3%
IIIa	Mt Sinai	1,115	313	28.1%	802	71.9%
IIIa	Sunnybrook	722	187	25.9%	535	74.1%
IIIa	TOH-General	796	518	65.1%	278	34.9%
IIIb	CH LHSC	936	687	73.4%	249	26.6%
IIIb	CHEO	369	31	8.4%	338	91.6%
IIIb	KGH	406	312	76.8%	94	23.2%
IIIb	MCH HHSC	1,165	436	37.4%	729	62.6%
IIIb	Sickkids	792	28	3.5%	764	96.5%


Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
IIb	HHS	245	159	64.9%	86	35.1%
IIb	HRH	334	195	58.4%	139	41.6%
IIb	WOHS	1,489	1,245	83.6%	244	16.4%
IIc	LH	399	290	72.7%	109	27.3%
IIc	RVHS	671	515	76.8%	156	23.2%
IIc	TSH	597	486	81.4%	111	18.6%
III	TOH	1,591	1,178	74.0%	413	26.0%

3.0 NICU/SCU Distribution


SCN 3.02 - NICU/SCN Age Profile

This table and chart present the age profile for inpatients (neonatal 0-28 days and paediatrics 29 days and over at date of admission) in the following NICU/SCN locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/ general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. Hospitals with less than 6 cases are indicated as "<6". Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped			
LOC	Hospital	0-28 Days	29 Days and Over
I	QHC	281	9
Ila	BWH	202	<6
Ila	CMH	376	<6
Ila	Montfort	423	<6
Ila	STEGH	69	<6
Ilb	BCHS	232	13
Ilb	CKHA	<6	0
Ilb	GBHS	212	0
Ilb	GRH	639	31
Ilb	HHS-Oakville-Trafalgar	239	6
Ilb	HRH-Finch	328	6
Ilb	JBH	172	<6
Ilb	NHS	475	10
Ilb	PRHC	336	7
Ilb	RVHS-Ajax&Pickering	183	<6
Ilb	SJHC Hamilton	445	16
Ilb	SJHC Toronto	402	20
Ilb	Southlake	405	7
Ilb	THP-MH	521	13
Ilb	TSH-Birchmount	264	<6
Ilb	WOHS-Etobicoke	400	6
Ilc	HSN	293	20
Ilc	LH-Oshawa	388	11
Ilc	MH	304	19
Ilc	MSH	312	23
Ilc	NRHC	245	6
Ilc	NYGH	383	26
Ilc	OSMH	312	<6
Ilc	RVH	288	10
Ilc	RVHS-Centenary	466	19
Ilc	SAH	41	<6
Ilc	SMH	476	22
Ilc	TBRHSC	356	29
Ilc	TEGH	406	17
Ilc	THP-CVH	843	37
Ilc	TOH-Civic	777	18
Ilc	TSH-General	329	<6
Ilc	WOHS-Brampton	1,043	40
Ilc	WRH	461	18
IIla	Mt Sinai	1,099	16
IIla	Sunnybrook	706	16
IIla	TOH-General	780	16
IIlb	CH LHSC	923	13
IIlb	CHEO	347	22
IIlb	KGH	400	6
IIlb	MCH HHSC	1,144	21
IIlb	Sickkids	706	86



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	0-28 Days	29 Days and Over
Ilb	HHS	239	6
Ilb	HRH	328	6
Ilb	WOHS	1,443	46
Ilc	LH	388	11
Ilc	RVHS	649	22
Ilc	TSH	593	<6
III	TOH	1,557	34




**3.0 NICU/SCU Distribution**


**SCN 3.03 - NICU/SCN Average LOS**

This table and chart present the Average LOS for all inpatient cases based on the following NICU/SCN locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The LOS is calculated from the date of admission to the date of discharge, in days.

Multi-Site Organizations Ungrouped						
LOC	Hospital	FY1011	FY1112	FY1213	FY1314	FY1415
I	HRH-Church	2.3	1.5			
I	QHC					4.0
IIa	BWH				6.0	5.0
IIa	CMH				3.1	3.5
IIa	Montfort	2.5	0.7	2.6	2.7	2.7
IIb	BCHS	6.8	6.3	6.1	6.0	7.8
IIb	CKHA					0.5
IIb	GBHS	5.9	6.4	6.4	6.5	6.6
IIb	GRH	8.4	8.9	8.3	7.4	6.6
IIb	HHS-Oakville-Trafalgar	8.8	7.9	7.3	7.8	6.7
IIb	HRH-Finch	7.1	7.5	9.0	8.3	7.7
IIb	JBH	4.1	5.0	6.2	5.5	6.8
IIb	NHS	7.6	7.0	7.8	6.6	7.3
IIb	PRHC	5.9	6.1	7.0	6.1	7.6
IIb	RVHS-Ajax&Pickering	2.7	2.8	2.6	3.4	3.8
IIb	SJHC Hamilton	10.4	11.2	10.9	10.0	10.5
IIb	SJHC Toronto	9.2	8.6	8.3	8.6	8.7
IIb	Southlake	6.4	6.7	6.7	6.4	7.0
IIb	THP-MH	5.7	6.1	6.2	5.7	5.4
IIb	TSH-Birchmount	7.0	8.0	7.5	7.6	6.0
IIb	WOHS-Etobicoke	6.2	5.4	5.1	5.8	5.2
IIc	HSN	8.7	7.3	7.9	7.9	6.5
IIc	LH-Oshawa	7.2	8.0	8.0	7.3	8.1
IIc	MH	5.4	6.2	6.9	8.2	8.2
IIc	MSH	6.7	6.7	8.0	7.3	7.0
IIc	NBRHC	8.4	9.2	8.7	10.9	7.8
IIc	NYGH	12.4	11.9	12.1	12.5	13.0
IIc	OSMH	9.2	7.8	8.9	6.5	7.1
IIc	RVH	8.3	9.4	10.2	9.0	8.0
IIc	RVHS-Centenary	8.7	10.3	9.8	9.4	10.7
IIc	SAH	8.0	7.2	7.8	7.4	7.9
IIc	SMH	11.0	11.8	12.2	10.9	10.8
IIc	TBRHSC	8.1	7.5	7.8	8.2	7.7
IIc	TEGH	9.2	9.1	8.7	8.6	8.0
IIc	THP-CVH	9.7	9.9	12.0	11.0	10.6
IIc	TOH-Civic	7.9	6.9	6.8	7.2	7.0
IIc	TSH-General	6.6	7.0	7.7	8.4	7.4
IIc	WOHS-Brampton	9.3	8.6	8.1	7.7	7.9
IIc	WRH	11.2	11.3	12.2	16.4	11.2
IIIa	Mt Sinai	14.7	14.7	13.9	14.7	15.1
IIIa	Sunnybrook	19.0	18.1	17.0	16.5	17.3
IIIa	TOH-General	8.3	8.5	9.1	9.4	9.0
IIIb	CH LHSC		15.7	16.0	14.8	14.8
IIIb	CHEO	12.4	13.2	12.8	12.6	13.7
IIIb	KGH	11.5	15.3	15.1	11.0	14.1
IIIb	MCH HHSC	15.9	15.4	15.2	15.3	16.0
IIIb	Sickkids	18.7	15.8	17.2	18.0	16.9



Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	FY1011	FY1112	FY1213	FY1314	FY1415
IIb	HHS	8.8	7.9	7.3	7.8	6.7
IIb	HRH	5.5	6.3	9.0	8.3	7.7
IIb	WOHS	8.4	7.7	7.2	7.2	7.2
IIc	LH	7.2	8.0	8.0	7.3	8.1
IIc	RVHS	7.4	8.5	8.0	7.6	8.8
IIc	TSH	6.8	7.5	7.6	8.0	6.8
III	TOH	8.1	7.7	7.9	8.3	8.0




3.0 NICU/SCU Distribution


SCN 3.04 - Percent NICU/SCN "Transfer From" Inpatient Cases

This chart presents the proportion of all inpatient cases that were recorded as "transferred from" another institution that spent time in a NICU, locations 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3 in the CIHI DAD abstract.

Multi-Site Organizations Ungrouped			
LOC	Hospital	Inpatient Cases: "Transfer From" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
I	QHC	22	8%
IIa	BWH	10	5%
IIa	CMH	14	4%
IIa	Montfort	30	7%
IIa	STEGH	21	30%
IIb	BCHS	56	23%
IIb	GBHS	22	10%
IIb	GRH	111	17%
IIb	HHS-Oakville-Trafalgar	53	22%
IIb	HRH-Finch	111	33%
IIb	JBH	45	26%
IIb	NHS	86	18%
IIb	PRHC	47	14%
IIb	RVHS-Ajax&Pickering	<6	3%
IIb	SJHC Hamilton	154	33%
IIb	SJHC Toronto	83	20%
IIb	Southlake	42	10%
IIb	THP-MH	50	9%
IIb	TSH-Birchmount	13	5%
IIb	WOHS-Etobicoke	28	7%
IIc	HSN	32	10%
IIc	LH-Oshawa	82	21%
IIc	MH	54	17%
IIc	MSH	41	12%
IIc	NBRHC	23	9%
IIc	NYGH	101	25%
IIc	OSMH	72	23%
IIc	RVH	30	10%
IIc	RVHS-Centenary	93	19%
IIc	SAH	6	14%
IIc	SMH	162	33%
IIc	TBRHSC	32	8%
IIc	TEGH	86	20%
IIc	THP-CVH	162	18%
IIc	TOH-Civic	79	10%
IIc	TSH-General	26	8%
IIc	WOHS-Brampton	103	10%
IIc	WRH	40	8%
IIIa	Mt Sinai	30	3%
IIIa	Sunnybrook	67	9%
IIIa	TOH-General	44	6%
IIIb	CH LHSC	114	12%
IIIb	CHEO	338	92%
IIIb	KGH	43	11%
IIIb	MCH HHSC	268	23%
IIIb	Sickkids	762	96%



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	Inpatient Cases: "Transfer From" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
IIb	HHS	53	22%
IIb	HRH	111	33%
IIb	WOHS	131	9%
IIc	LH	82	21%
IIc	RVHS	98	15%
IIc	TSH	39	7%
III	TOH	123	8%




3.0 NICU/SCU Distribution


SCN 3.05 - Percent NICU/SCN "Transfer To" Inpatient Cases

This chart presents the proportion of all inpatient cases that were recorded as "transferred to" another institution that spent time in a NICU, locations 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3 in the CIHI DAD abstract.

Multi-Site Organizations Ungrouped			
LOC	Hospital	Inpatient Cases: "Transfer To" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
I	QHC	41	14%
Ila	BWH	15	7%
Ila	CMH	22	6%
Ila	Montfort	42	10%
Ila	STEGH	8	11%
Ilb	BCHS	25	10%
Ilb	GBHS	17	8%
Ilb	GRH	48	7%
Ilb	HHS-Oakville-Trafalgar	26	11%
Ilb	HRH-Finch	29	9%
Ilb	JBH	12	7%
Ilb	NHS	56	12%
Ilb	PRHC	26	8%
Ilb	RVHS-Ajax&Pickering	20	11%
Ilb	SJHC Hamilton	86	19%
Ilb	SJHC Toronto	27	6%
Ilb	Southlake	31	8%
Ilb	THP-MH	26	5%
Ilb	TSH-Birchmount	19	7%
Ilb	WOHS-Etobicoke	30	7%
Ilc	HSN	51	16%
Ilc	LH-Oshawa	27	7%
Ilc	MH	24	7%
Ilc	MSH	38	11%
Ilc	NBRHC	38	15%
Ilc	NYGH	52	13%
Ilc	OSMH	26	8%
Ilc	RVH	19	6%
Ilc	RVHS-Centenary	35	7%
Ilc	SAH	9	20%
Ilc	SMH	48	10%
Ilc	TBRHSC	34	9%
Ilc	TEGH	46	11%
Ilc	THP-CVH	67	8%
Ilc	TOH-Civic	49	6%
Ilc	TSH-General	35	11%
Ilc	WOHS-Brampton	71	7%
Ilc	WRH	52	11%
IIla	Mt Sinai	748	67%
IIla	Sunnybrook	498	69%
IIla	TOH-General	243	31%
IIlb	CH LHSC	179	19%
IIlb	CHEO	126	34%
IIlb	KGH	41	10%
IIlb	MCH HHSC	613	53%
IIlb	Sickkids	459	58%



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	Inpatient Cases: "Transfer To" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
IIb	HHS	26	11%
IIb	HRH	29	9%
IIb	WOHS	101	7%
Ilc	LH	27	7%
Ilc	RVHS	55	8%
Ilc	TSH	54	9%
III	TOH	292	18%






1.0 Hospital Descriptors

OBS 1.01 - Obstetrical Volumes and Births

This table and chart depict total inpatient obstetrical volumes, total inpatient deliveries, and percentage of obstetrical admission with a delivery. Deliveries are defined as : CMGs 558-565.

LOC	Hospital	Total OBS Cases	Total Deliveries	% of Deliveries
Ia	AMGH	109	100	92%
Ia	DRHC	119	106	89%
Ia	MHA-SMGH	105	96	91%
Ia	WAHA	86	61	71%
Ib	AGH	318	309	97%
Ib	BGH	394	373	95%
Ib	CCH	578	519	90%
Ib	CGMH	550	526	96%
Ib	GBGH	217	183	84%
Ib	GMCH	457	438	96%
Ib	HGH	434	423	97%
Ib	HHCC	841	775	92%
Ib	HHS-Georgetown	166	130	78%
Ib	HHS-Milton	903	854	95%
Ib	HRH-Church	1,166	1,034	89%
Ib	LH-Port Perry	295	288	98%
Ib	MAHC	284	275	97%
Ib	NGH	376	333	89%
Ib	NHH	502	478	95%
Ib	QHC	1,559	1,416	91%
Ib	RMH	360	308	86%
Ib	SBGHC	418	402	96%
Ib	SLMHC	476	428	90%
Ib	Stevenson	419	349	83%
Ib	WDMH	778	757	97%
Ib	WGH	903	838	93%
Ib	WLMH	981	924	94%
Ib	WPSHC	104	82	79%
Ila	BWH	1,109	1,023	92%
Ila	CMH	1,500	1,364	91%
Ila	Montfort	3,720	3,393	91%
Ila	STEGH	632	598	95%
Ilb	BCHS	1,443	1,343	93%
Ilb	CKHA	982	847	86%
Ilb	GBHS	825	729	88%
Ilb	GRH	4,528	4,058	90%
Ilb	HHS-Oakville-Trafalgar	2,278	2,136	94%
Ilb	HRH-Finch	2,050	1,807	88%
Ilb	JBH	1,518	1,438	95%
Ilb	NHS	3,126	2,794	89%
Ilb	PRHC	1,723	1,583	92%
Ilb	RVHS-Ajax&Pickering	1,697	1,519	90%
Ilb	SJHC Hamilton	3,565	3,222	90%
Ilb	SJHC Toronto	3,549	3,207	90%
Ilb	Southlake	2,839	2,604	92%
Ilb	THP-MH	3,723	3,529	95%
Ilb	TSH-Birchmount	1,894	1,715	91%
Ilb	WOHS-Brampton	5,699	5,007	88%
Ilb	WOHS-Etobicoke	2,602	2,365	91%
Ilc	HSN	2,071	1,908	92%
Ilc	LH-Oshawa	2,893	2,621	91%
Ilc	MH	2,652	2,401	91%
Ilc	MSH	3,279	3,122	95%
Ilc	NBRHC	1,031	879	85%
Ilc	NYGH	6,089	5,698	94%
Ilc	OSMH	1,033	881	85%
Ilc	RVH	2,293	2,064	90%
Ilc	RVHS-Centenary	2,413	2,172	90%
Ilc	SAH	1,029	926	90%
Ilc	TBRHSC	1,672	1,496	89%
Ilc	TEGH	3,409	3,026	89%
Ilc	THP-CVH	5,540	5,067	91%
Ilc	TSH-General	2,961	2,743	93%
Ilc	WRH	3,866	3,503	91%
III	CH LHSC	6,404	5,644	88%
III	KGH	2,112	1,875	89%
III	MCH HHSC	3,458	2,958	86%
III	Mt Sinai	8,628	6,542	76%
III	SMH	3,027	2,719	90%
III	Sunnybrook	4,751	4,018	85%
III	TOH-Civic	3,631	3,140	86%
III	TOH-General	3,634	2,927	81%



1.0 Hospital Descriptors

OBS 1.02 - Obstetrical Age Profile


This table provides the distribution of cases by age category of the inpatient obstetrical cases of each hospital. The age categories are: <20 years, 20-24, 25-29, 30-34, 35-39, 40-44, 45+ years. Zero volumes are shown as blank and a volume less than 6 is indicated as "<6".

LOC	Hospital	<20 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Ia	AMGH	<6	18	44	33	8	<6	
Ia	DRHC	<6	26	45	32	10	<6	
Ia	MHA-SMGH	8	21	27	35	12	<6	
Ia	WAHA	23	26	21	8	6	<6	
Ib	AGH	<6	49	114	109	36	6	
Ib	BGH	28	73	134	121	32	6	
Ib	CCH	61	164	178	109	57	8	<6
Ib	CGMH	19	99	159	184	74	14	<6
Ib	GBGH	21	58	68	48	18	<6	
Ib	GMCH	10	88	147	147	54	11	
Ib	HGH	16	98	161	112	39	8	
Ib	HHCC	20	107	264	300	111	36	<6
Ib	HHS-Georgetown	<6	14	51	65	29	<6	
Ib	HHS-Milton	<6	58	219	395	182	44	<6
Ib	HRH-Church	33	170	293	366	239	62	<6
Ib	LH-Port Perry	6	34	117	104	28	<6	<6
Ib	MAHC	13	58	104	77	28	<6	
Ib	NGH	9	81	132	112	34	8	
Ib	NHH	16	82	180	154	63	<6	<6
Ib	QHC	93	288	527	466	159	25	<6
Ib	RMH	29	83	117	94	33	<6	
Ib	SBGHC	11	81	156	132	34	<6	
Ib	SLMHC	78	149	132	75	40	<6	
Ib	Stevenson	11	58	139	144	48	16	<6
Ib	WDMH	26	132	288	226	91	14	<6
Ib	WGH	45	166	320	266	90	16	
Ib	WLMH	11	92	316	376	164	21	<6
Ib	WPSHC	10	17	41	28	6	<6	
Ila	BWH	64	208	389	336	104	8	
Ila	CMH	54	241	462	516	187	38	<6
Ila	Montfort	58	320	1,086	1,433	690	127	6
Ila	STEGH	26	140	197	191	68	9	<6
Ilb	BCHS	90	276	475	425	151	26	
Ilb	CKHA	58	223	331	262	89	18	<6
Ilb	GBHS	41	172	265	238	99	10	
Ilb	GRH	99	532	1,373	1,664	711	139	10
Ilb	HHS-Oakville-Trafalgar	16	103	416	929	651	152	11
Ilb	HRH-Finch	54	276	569	664	383	97	7
Ilb	JBH	6	79	366	693	306	67	<6
Ilb	NHS	156	582	961	950	411	64	<6
Ilb	PRHC	72	277	551	554	228	37	<6
Ilb	RVHS-Ajax&Pickering	31	163	482	634	326	60	<6
Ilb	SJHC Hamilton	145	508	1,035	1,193	558	120	6
Ilb	SJHC Toronto	56	284	730	1,328	938	197	16
Ilb	Southlake	48	245	794	1,128	515	101	8
Ilb	THP-MH	36	300	953	1,431	817	171	15
Ilb	TSH-Birchmount	24	172	566	654	361	113	<6
Ilb	WOHS-Brampton	109	534	1,718	2,209	932	186	11
Ilb	WOHS-Etobicoke	31	303	730	960	441	128	9
Ilc	HSN	92	432	687	613	204	41	<6
Ilc	LH-Oshawa	107	382	822	1,040	456	77	9
Ilc	MH	16	175	618	1,030	632	166	15
Ilc	MSH	8	101	704	1,422	839	188	17
Ilc	NBRHC	71	232	339	269	99	18	<6
Ilc	NYGH	26	335	1,356	2,444	1,545	361	22
Ilc	OSMH	58	192	341	298	117	26	<6
Ilc	RVH	66	344	682	770	356	71	<6
Ilc	RVHS-Centenary	38	303	687	848	453	79	<6
Ilc	SAH	78	192	344	293	108	13	<6
Ilc	TBRHSC	128	351	492	474	189	37	<6
Ilc	TEGH	55	302	788	1,273	800	180	11
Ilc	THP-CVH	36	362	1,396	2,200	1,265	262	19
Ilc	TSH-General	45	359	962	975	530	85	<6
Ilc	WRH	129	596	1,138	1,333	559	107	<6
III	CH LHSC	230	887	1,905	2,239	946	182	15
III	KGH	103	326	656	671	292	60	<6
III	MCH HHSC	99	390	924	1,242	648	146	9
III	Mt Sinai	91	425	1,430	3,314	2,561	721	86
III	SMH	44	194	637	1,177	772	185	18
III	Sunnybrook	27	195	775	1,965	1,402	342	45
III	TOH-Civic	45	268	838	1,417	833	216	14
III	TOH-General	122	443	911	1,235	715	188	20

1.0 Hospital Descriptors

OBS 1.02 - Obstetrical Age Profile

This table provides the distribution of cases by age category of the inpatient obstetrical cases of each hospital. The age categories are: <20 years, 20-24, 25-29, 30-34, 35-39, 40-44, 45+ years. Zero volumes are shown as blank and a volume less than 6 is indicated as "<6".





**2015 Ontario Hospitals**  
**Maternal-Child Services Report**


Section III: Population Specific Indicators - Obstetrical Indicators

**1.0 Hospital Descriptors**

**OBS 1.04 - Total Average Inpatient Weight per Case**

This table and chart present the ARIW for all inpatient obstetrical cases. The average inpatient weight per case represents the inpatient Resource Intensity Weight (RIW) which reflective of the amount of resources required by the hospital to care for patients based on the CMG during their hospital stay.

LOC	Hospital	FY1011	FY1112	FY1213	FY1314	FY1415
Ia	AMGH	0.54	0.49	0.43	0.49	0.47
Ia	DRHC	0.53	0.49	0.52	0.55	0.52
Ia	MHA-SMGH	0.47	0.48	0.48	0.45	0.47
Ia	WAHA	0.48	0.48	0.55	0.47	0.5
Ib	AGH	0.5	0.52	0.53	0.53	0.53
Ib	BGH	0.53	0.55	0.52	0.51	0.52
Ib	CCH	0.56	0.57	0.58	0.56	0.54
Ib	CGMH	0.48	0.48	0.48	0.47	0.49
Ib	GBGH	0.51	0.52	0.52	0.49	0.52
Ib	GMCH	0.54	0.53	0.52	0.53	0.53
Ib	HGH	0.52	0.52	0.53	0.5	0.51
Ib	HHCC	0.55	0.55	0.56	0.54	0.54
Ib	HHS-Georgetown	0.5	0.52	0.51	0.49	0.52
Ib	HHS-Milton	0.54	0.52	0.54	0.51	0.53
Ib	HRH-Church	0.53	0.52	0.54	0.53	0.53
Ib	LH-Port Perry	0.5	0.51	0.48	0.5	0.49
Ib	MAHC	0.52	0.54	0.51	0.51	0.5
Ib	NGH	0.47	0.48	0.48	0.47	0.49
Ib	NHH	0.54	0.55	0.54	0.54	0.54
Ib	QHC	0.56	0.56	0.56	0.55	0.55
Ib	RMH	0.51	0.53	0.52	0.51	0.53
Ib	SBGHC	0.44	0.43	0.43	0.44	0.43
Ib	SLMHC	0.46	0.49	0.5	0.48	0.48
Ib	Stevenson	0.54	0.51	0.5	0.49	0.52
Ib	WDMH	0.51	0.52	0.53	0.51	0.51
Ib	WGH	0.51	0.52	0.51	0.52	0.51
Ib	WLMH	0.54	0.53	0.53	0.52	0.53
Ib	WPSHC	0.48	0.46	0.5	0.49	0.47
Ila	BWH	0.49	0.52	0.51	0.53	0.51
Ila	CMH	0.53	0.52	0.54	0.52	0.53
Ila	Montfort	0.53	0.54	0.53	0.54	0.55
Ila	STEGH	0.49	0.51	0.5	0.5	0.5
Ilb	BCHS	0.52	0.53	0.52	0.52	0.52
Ilb	CKHA	0.5	0.5	0.51	0.53	0.53
Ilb	GBHS	0.51	0.53	0.52	0.52	0.53
Ilb	GRH	0.54	0.53	0.55	0.55	0.54
Ilb	HHS-Oakville-Trafalgar	0.56	0.56	0.56	0.56	0.57
Ilb	HRH-Finch	0.55	0.54	0.53	0.54	0.55
Ilb	JBH	0.55	0.56	0.56	0.55	0.55
Ilb	NHS	0.52	0.52	0.52	0.52	0.53
Ilb	PRHC	0.55	0.55	0.54	0.56	0.55
Ilb	RVHS-Ajax&Pickering	0.56	0.55	0.56	0.56	0.55
Ilb	SJHC Hamilton	0.54	0.55	0.54	0.55	0.55
Ilb	SJHC Toronto	0.55	0.55	0.56	0.55	0.56
Ilb	Southlake	0.55	0.56	0.55	0.56	0.56
Ilb	THP-MH	0.53	0.52	0.53	0.53	0.53
Ilb	TSH-Birchmount	0.52	0.52	0.52	0.52	0.53
Ilb	WOHS-Brampton	0.55	0.56	0.55	0.56	0.56
Ilb	WOHS-Etobicoke	0.54	0.56	0.54	0.53	0.55
Ilc	HSN		0.55	0.55	0.54	0.54
Ilc	LH-Oshawa	0.56	0.55	0.55	0.55	0.56
Ilc	MH			0.54	0.55	0.55
Ilc	MSH	0.55	0.55	0.54	0.54	0.54
Ilc	NBRHC	0.51	0.54	0.53	0.55	0.55
Ilc	NYGH	0.56	0.56	0.56	0.56	0.56
Ilc	OSMH	0.57	0.57	0.56	0.55	0.54
Ilc	RVH	0.56	0.55	0.57	0.55	0.56
Ilc	RVHS-Centenary	0.58	0.59	0.57	0.56	0.57
Ilc	SAH	0.54	0.56	0.53	0.55	0.55
Ilc	TBRHSC	0.57	0.53	0.53	0.52	0.53
Ilc	TEGH	0.54	0.54	0.54	0.55	0.55
Ilc	THP-CVH	0.55	0.55	0.55	0.54	0.55
Ilc	TSH-General	0.51	0.52	0.53	0.52	0.53
Ilc	WRH	0.61	0.61	0.59	0.61	0.59
III	CH LHSC	0.57	0.61	0.62	0.63	0.62
III	KGH	0.59	0.58	0.57	0.56	0.57
III	MCH HHSC	0.69	0.69	0.66	0.65	0.67
III	Mt Sinai	0.67	0.65	0.66	0.65	0.67
III	SMH	0.55	0.55	0.55	0.55	0.56
III	Sunnybrook	0.66	0.71	0.69	0.67	0.69
III	TOH-Civic	0.58	0.58	0.58	0.58	0.59
III	TOH-General	0.58	0.6	0.58	0.57	0.58



**1.0 Hospital Descriptors**

**OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days**

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as “typical” when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The “other” category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
1a	AMGH	94.5%	0.0%	5.5%	96.6%	0.0%	3.4%
1a	DRHC	89.9%	5.0%	5.0%	85.3%	10.3%	4.4%
1a	MHA-SMGH	98.1%	0.0%	1.9%	99.0%	0.0%	1.0%
1a	WAHA	86.0%	7.0%	7.0%	79.4%	17.0%	3.6%
1b	AGH	98.4%	0.6%	0.9%	98.1%	1.5%	0.4%
1b	BGH	98.5%	0.3%	1.3%	97.8%	1.4%	0.8%
1b	CCH	97.2%	0.7%	2.1%	95.8%	2.8%	1.4%
1b	CGMH	98.7%	0.0%	1.3%	98.8%	0.0%	1.2%
1b	GBGH	94.9%	1.8%	3.2%	92.4%	6.3%	1.3%
1b	GMCH	96.5%	0.0%	3.5%	96.8%	0.0%	3.2%
1b	HGH	99.3%	0.0%	0.7%	99.0%	0.0%	1.0%
1b	HHCC	98.6%	0.8%	0.6%	96.4%	2.9%	0.6%
1b	HHS-Georgetown	97.0%	0.0%	3.0%	98.1%	0.0%	1.9%
1b	HHS-Milton	99.0%	0.3%	0.7%	98.6%	0.9%	0.4%
1b	HRH-Church	98.5%	0.6%	0.9%	96.8%	2.7%	0.5%
1b	LH-Port Perry	98.0%	0.0%	2.0%	99.0%	0.0%	1.0%
1b	MAHC	98.2%	0.4%	1.4%	97.9%	1.4%	0.8%
1b	NGH	97.9%	0.3%	1.9%	98.1%	0.9%	1.0%
1b	NHH	98.8%	0.4%	0.8%	98.3%	1.0%	0.7%
1b	QHC	96.9%	2.1%	1.1%	93.0%	6.3%	0.7%
1b	RMH	98.3%	0.0%	1.7%	99.1%	0.0%	0.9%
1b	SBGHC	97.4%	0.2%	2.4%	97.8%	0.7%	1.5%
1b	SLMHC	92.6%	4.4%	2.9%	84.8%	13.9%	1.3%
1b	Stevenson	98.6%	0.0%	1.4%	99.1%	0.0%	0.9%

**1.0 Hospital Descriptors**

**OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days**

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as “typical” when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The “other” category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
Ib	WDMH	99.2%	0.3%	0.5%	98.2%	1.0%	0.8%
Ib	WGH	98.2%	0.3%	1.4%	98.1%	1.0%	0.9%
Ib	WLMH	98.7%	0.2%	1.1%	98.7%	0.7%	0.6%
Ib	WPSHC	94.2%	0.0%	5.8%	97.4%	0.0%	2.6%
Ila	BWH	98.6%	0.3%	1.1%	98.1%	1.0%	0.9%
Ila	CMH	98.4%	0.4%	1.2%	97.6%	1.5%	0.9%
Ila	Montfort	99.1%	0.3%	0.6%	98.3%	1.2%	0.5%
Ila	STEGH	99.4%	0.2%	0.5%	98.9%	0.8%	0.3%
Ilb	BCHS	97.9%	0.4%	1.7%	97.2%	1.5%	1.3%
Ilb	CKHA	97.5%	0.7%	1.8%	94.9%	4.0%	1.2%
Ilb	GBHS	96.2%	1.8%	1.9%	91.0%	7.1%	1.9%
Ilb	GRH	97.6%	1.8%	0.6%	89.1%	10.3%	0.6%
Ilb	HHS-Oakville-Trafalgar	98.3%	0.8%	0.8%	94.4%	4.5%	1.0%
Ilb	HRH-Finch	97.4%	1.2%	1.4%	94.0%	5.0%	1.0%
Ilb	JBH	98.6%	0.3%	1.1%	97.3%	1.8%	0.9%
Ilb	NHS	98.0%	0.6%	1.4%	95.9%	2.9%	1.2%
Ilb	PRHC	96.8%	1.3%	1.9%	92.8%	5.6%	1.6%
Ilb	RVHS-Ajax&Pickering	98.8%	0.9%	0.3%	93.6%	6.1%	0.3%
Ilb	SJHC Hamilton	96.7%	2.4%	1.0%	90.2%	8.5%	1.3%
Ilb	SJHC Toronto	98.7%	0.9%	0.4%	94.6%	5.1%	0.3%
Ilb	Southlake	97.9%	1.3%	0.8%	91.7%	7.6%	0.7%
Ilb	THP-MH	99.2%	0.5%	0.3%	97.1%	2.6%	0.3%
Ilb	TSH-Birchmount	98.5%	0.6%	0.8%	95.6%	3.7%	0.7%
Ilb	WOHS-Brampton	98.1%	1.3%	0.6%	92.3%	6.9%	0.8%
Ilb	WOHS-Etobicoke	98.0%	1.1%	1.0%	94.1%	5.3%	0.6%

**1.0 Hospital Descriptors**

**OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days**

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as “typical” when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The “other” category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
IIc	HSN	96.4%	1.4%	2.2%	91.1%	6.7%	2.2%
IIc	LH-Oshawa	97.3%	1.6%	1.1%	93.0%	5.9%	1.1%
IIc	MH	97.8%	1.2%	0.9%	91.4%	7.8%	0.8%
IIc	MSH	98.6%	1.1%	0.3%	92.8%	7.0%	0.3%
IIc	NBRHC	96.5%	1.0%	2.5%	93.1%	3.9%	3.0%
IIc	NYGH	98.7%	1.0%	0.4%	94.2%	5.4%	0.3%
IIc	OSMH	92.7%	2.1%	5.1%	82.8%	12.0%	5.2%
IIc	RVH	96.3%	2.3%	1.4%	87.1%	11.9%	1.0%
IIc	RVHS-Centenary	97.4%	2.0%	0.6%	89.0%	10.5%	0.5%
IIc	SAH	96.4%	1.3%	2.3%	92.3%	6.2%	1.5%
IIc	TBRHSC	92.0%	6.2%	1.7%	81.5%	17.0%	1.5%
IIc	TEGH	98.2%	1.0%	0.8%	93.6%	5.8%	0.6%
IIc	THP-CVH	98.1%	1.1%	0.8%	94.4%	5.0%	0.6%
IIc	TSH-General	98.5%	0.8%	0.6%	95.8%	3.8%	0.4%
IIc	WRH	96.4%	2.6%	1.0%	81.8%	17.3%	0.9%
III	CH LHSC	94.3%	4.3%	1.4%	71.3%	27.2%	1.5%
III	KGH	95.9%	1.9%	2.2%	84.0%	13.2%	2.8%
III	MCH HHSC	88.1%	6.6%	5.4%	69.3%	25.8%	4.9%
III	Mt Sinai	92.3%	4.8%	2.9%	71.1%	25.9%	3.0%
III	SMH	97.1%	2.1%	0.7%	88.9%	9.9%	1.2%
III	Sunnybrook	89.9%	6.8%	3.3%	64.6%	31.9%	3.6%
III	TOH-Civic	93.8%	3.1%	3.1%	87.1%	9.5%	3.4%
III	TOH-General	92.8%	4.2%	3.0%	81.9%	14.5%	3.6%



**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Obstetrical Indicators

**1.0 Hospital Descriptors**

**OBS 1.06 - Percent Obstetrical "Transfer From" Inpatient Cases and Patient Days**

This table presents the percentage of cases and associated days that were recorded as transferred from another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer From" Inpatient OBS Cases	% "Transfer From" Inpatient OBS Cases	"Transfer From" Inpatient OBS Days	% "Transfer From" Inpatient OBS Days
Ia	AMGH	<6	0.9%	1	0.6%
Ia	DRHC	<6	2.5%	9	2.8%
Ib	CCH	<6	0.2%	3	0.3%
Ib	GMCH	11	2.4%	18	2.3%
Ib	SBGHC	<6	0.5%	3	0.4%
Ib	WDMH	<6	0.1%	4	0.3%
Ib	WPSHC	<6	1.0%	1	0.4%
IIa	BWH	<6	0.2%	9	0.4%
IIa	CMH	<6	0.1%	10	0.4%
IIa	Montfort	6	0.2%	17	0.2%
IIb	BCHS	12	0.8%	22	0.8%
IIb	GBHS	10	1.2%	49	2.9%
IIb	GRH	9	0.2%	71	0.9%
IIb	HHS-Oakville-Trafalgar	6	0.3%	27	0.6%
IIb	HRH-Finch	8	0.4%	16	0.4%
IIb	JBH	<6	0.3%	9	0.3%
IIb	NHS	8	0.3%	18	0.3%
IIb	PRHC	19	1.1%	71	2.1%
IIb	RVHS-Ajax&Pickering	<6	0.1%	2	0.1%
IIb	SJHC Hamilton	14	0.4%	68	0.9%
IIb	Southlake	10	0.4%	31	0.5%
IIb	THP-MH	<6	0.1%	21	0.3%
IIb	TSH-Birchmount	<6	0.2%	7	0.2%
IIb	WOHS-Brampton	15	0.3%	134	1.2%
IIb	WOHS-Etobicoke	<6	0.1%	15	0.3%
IIc	HSN	23	1.1%	86	2.3%
IIc	LH-Oshawa	19	0.7%	68	1.0%
IIc	MH	7	0.3%	54	1.1%
IIc	MSH	<6	0.0%	2	0.0%
IIc	NBRHC	14	1.4%	64	3.2%
IIc	NYGH	<6	0.1%	57	0.5%
IIc	OSMH	51	4.9%	137	6.7%
IIc	RVH	8	0.3%	55	1.1%
IIc	RVHS-Centenary	<6	0.2%	9	0.2%
IIc	SAH	<6	0.3%	21	1.0%
IIc	TBRHSC	14	0.8%	72	1.6%
IIc	TEGH	<6	0.1%	9	0.1%
IIc	THP-CVH	13	0.2%	69	0.7%
IIc	TSH-General	<6	0.1%	9	0.2%
IIc	WRH	17	0.4%	32	0.4%
III	CH LHSC	104	1.6%	919	5.4%
III	KGH	44	2.1%	208	4.5%
III	MCH HHSC	221	6.4%	1412	12.2%
III	Mt Sinai	311	3.6%	2174	9.6%
III	SMH	16	0.5%	119	1.7%
III	Sunnybrook	267	5.6%	2450	17.2%
III	TOH-Civic	84	2.3%	369	4.0%
III	TOH-General	107	2.9%	580	5.8%

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Obstetrical Indicators

**1.0 Hospital Descriptors**

**OBS 1.07 - Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days**

This table presents the percentage of cases and associated days that were recorded as transferred to another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer To" Inpatient OBS Cases	% "Transfer To" Inpatient OBS Cases	"Transfer To" Inpatient OBS Days	% "Transfer To" Inpatient OBS Days
1a	AMGH	<6	4.6%	5	2.8%
1a	DRHC	<6	2.5%	5	1.6%
1a	MHA-SMGH	<6	1.9%	2	1.0%
1a	WAHA	<6	5.8%	6	2.4%
1b	AGH	<6	0.9%	3	0.4%
1b	BGH	<6	1.0%	5	0.7%
1b	CCH	<6	0.3%	2	0.2%
1b	CGMH	7	1.3%	11	1.2%
1b	GBGH	6	2.8%	6	1.1%
1b	GMCH	6	1.3%	8	1.0%
1b	HGH	<6	0.2%	1	0.1%
1b	HHCC	<6	0.6%	10	0.6%
1b	HHS-Georgetown	<6	1.8%	3	1.0%
1b	HHS-Milton	6	0.7%	7	0.4%
1b	HRH-Church	<6	0.4%	5	0.2%
1b	LH-Port Perry	<6	1.7%	5	0.8%
1b	MAHC	<6	1.4%	4	0.8%
1b	NGH	7	1.9%	7	1.0%
1b	NHH	<6	0.8%	7	0.7%
1b	QHC	14	0.9%	18	0.6%
1b	RMH	<6	0.8%	3	0.4%
1b	SBGHC	8	1.9%	8	1.1%
1b	SLMHC	13	2.7%	13	1.2%
1b	Stevenson	<6	1.2%	5	0.7%
1b	WDMH	<6	0.1%	2	0.1%
1b	WGH	13	1.4%	16	0.9%
1b	WLMH	10	1.0%	10	0.6%
1b	WPSHC	<6	3.8%	4	1.7%
11a	BWH	6	0.5%	6	0.3%
11a	CMH	13	0.9%	16	0.6%
11a	Montfort	11	0.3%	13	0.2%
11a	STEGH	<6	0.5%	3	0.3%

**2015 Ontario Hospitals**  
**Maternal-Child Services Report**

Section III: Population Specific Indicators - Obstetrical Indicators

**1.0 Hospital Descriptors**

**OBS 1.07 - Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days**

This table presents the percentage of cases and associated days that were recorded as transferred to another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer To" Inpatient OBS Cases	% "Transfer To" Inpatient OBS Cases	"Transfer To" Inpatient OBS Days	% "Transfer To" Inpatient OBS Days
IIb	BCHS	8	0.6%	9	0.3%
IIb	CKHA	11	1.1%	12	0.6%
IIb	GBHS	8	1.0%	10	0.6%
IIb	GRH	15	0.3%	35	0.4%
IIb	HHS-Oakville-Trafalgar	11	0.5%	15	0.4%
IIb	HRH-Finch	15	0.7%	28	0.7%
IIb	JBH	8	0.5%	10	0.4%
IIb	NHS	31	1.0%	50	0.8%
IIb	PRHC	10	0.6%	20	0.6%
IIb	RVHS-Ajax&Pickering	<6	0.2%	7	0.2%
IIb	SJHC Hamilton	16	0.4%	30	0.4%
IIb	SJHC Toronto	8	0.2%	9	0.1%
IIb	Southlake	6	0.2%	16	0.3%
IIb	THP-MH	<6	0.1%	5	0.1%
IIb	TSH-Birchmount	13	0.7%	15	0.5%
IIb	WOHS-Brampton	17	0.3%	29	0.3%
IIb	WOHS-Etobicoke	21	0.8%	48	1.0%
IIc	HSN	15	0.7%	53	1.4%
IIc	LH-Oshawa	10	0.3%	26	0.4%
IIc	MH	14	0.5%	38	0.8%
IIc	MSH	10	0.3%	23	0.4%
IIc	NBRHC	10	1.0%	12	0.6%
IIc	NYGH	15	0.2%	47	0.4%
IIc	OSMH	6	0.6%	7	0.3%
IIc	RVH	17	0.7%	31	0.6%
IIc	RVHS-Centenary	13	0.5%	32	0.7%
IIc	SAH	19	1.8%	26	1.2%
IIc	TBRHSC	11	0.7%	14	0.3%
IIc	TEGH	15	0.4%	17	0.3%
IIc	THP-CVH	35	0.6%	67	0.6%
IIc	TSH-General	13	0.4%	22	0.4%
IIc	WRH	18	0.5%	128	1.6%
III	CH LHSC	11	0.2%	144	0.8%
III	KGH	<6	0.1%	7	0.1%
III	MCH HHSC	19	0.5%	92	0.8%
III	Mt Sinai	24	0.3%	301	1.3%
III	SMH	10	0.3%	49	0.7%
III	Sunnybrook	41	0.9%	602	4.2%
III	TOH-Civic	27	0.7%	50	0.5%
III	TOH-General	10	0.3%	60	0.6%

**1.0 Hospital Descriptors**

**OBS 1.08- Percent Cases and Days with Length of Stay > 30 Days**

The percentage of all inpatient cases and associated days for all inpatient obstetrical cases with a total length of stay greater than 30 days is displayed in this chart. A volume less than 6 is indicated as "<6".

LOC	Hospital	Inpatient OBS Cases with Duration > 30 Days	Inpatient OBS Cases with Duration > 30 Days as % of Total OBS Cases	Inpatient OBS Days with Duration > 30 Days	Inpatient OBS Days with Duration > 30 Days as % of Total OBS Days
IIb	GRH	<6	0.1%	165	2.0%
IIb	RVHS-Ajax&Pickering	<6	0.1%	54	1.7%
IIb	SJHC Hamilton	<6	0.0%	33	0.4%
IIb	Southlake	<6	0.0%	34	0.6%
IIb	WOHS-Brampton	<6	0.0%	67	0.6%
IIb	WOHS-Etobicoke	<6	0.0%	35	0.7%
IIc	LH-Oshawa	<6	0.1%	67	1.0%
IIc	MH	<6	0.1%	66	1.3%
IIc	MSH	<6	0.1%	97	1.5%
IIc	NYGH	<6	0.0%	97	0.8%
IIc	OSMH	<6	0.1%	34	1.7%
IIc	RVH	<6	0.1%	84	1.7%
IIc	SAH	<6	0.1%	31	1.4%
IIc	TEGH	<6	0.0%	109	1.7%
IIc	THP-CVH	<6	0.0%	34	0.3%
IIc	TSH-General	<6	0.0%	37	0.7%
IIc	WRH	10	0.3%	396	4.9%
III	CH LHSC	39	0.6%	1914	11.2%
III	KGH	8	0.4%	310	6.6%
III	MCH HHSC	18	0.5%	796	6.9%
III	Mt Sinai	45	0.5%	1902	8.4%
III	SMH	<6	0.1%	72	1.0%
III	Sunnybrook	27	0.6%	1163	8.2%
III	TOH-Civic	<6	0.0%	53	0.6%
III	TOH-General	<6	0.0%	52	0.5%

## 1.0 Hospital Descriptors

### OBS 1.09 - Obstetrical Top 5 CMGs

This table displays the Top 5 CMGs and the total volume of each individual CMG in each hospital. A volume less than 6 is indicated as "<6".

#### Ontario Obstetrical Top 5 CMGs

rank	CMG+	CMG+ Description	Cases (SUM)	% of Cases
1	563	Vaginal Birth with Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	35,511	23%
2	562	Vaginal Birth with Anaesthetic and Non-Major Obstetric/Gynecologic Intervention	29,982	20%
3	565	Vaginal Birth without Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	24,786	16%
4	560	Caesarean Section with uterine scar, no induction	16,263	11%
5	559	Primary Caesarean Section, no induction	14,693	10%

Select Hospital:

**AGH** ▼

Acronym	CMG+	CMG+ Description	Cases (SUM)	% of Cases
AGH	565	Vaginal Birth without Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	96	30%
AGH	563	Vaginal Birth with Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	58	18%
AGH	562	Vaginal Birth with Anaesthetic and Non-Major Obstetric/Gynecologic Intervention	39	12%
AGH	559	Primary Caesarean Section, no induction	36	11%
AGH	564	Vaginal Birth without Anaesthetic with Non-Major Obstetric/Gynecologic Intervention	32	10%

Note:

Hospital level information is available in Excel document. Excel document can be downloaded on PCMCH Website<<http://www.pcmch.on.ca/>>