



2016 Ontario Hospitals

Maternal-Child Services Report

Section II: Neonatal and Obstetrical Indicators

Neonatal Indicators

TAB	CONTENTS	Data Source
2.0	Neonatal Distribution	
SCN2.01	Neonatal Inpatient Cases	CIHI DAD
SCN2.02	Neonatal Average LOS	CIHI DAD
SCN2.03	Total Average Inpatient Weight per Case	CIHI DAD
SCN2.04	Percent Neonatal "Transfer From" Inpatient Cases and Patient Days	CIHI DAD
SCN2.05	Percent Neonatal "Transfer To" Inpatient Cases and Patient Days	CIHI DAD
SCN2.06	Percent Cases and Days with LOS > 30 Days	CIHI DAD
3.0	NICU/SCN Distribution	
SCN3.01	NICU/SCN Inpatient Cases	CIHI DAD
SCN3.02	NICU/SCN Age Profile	CIHI DAD
SCN3.03	NICU/SCN Average LOS	CIHI DAD
SCN3.04	Percent NICU/SCN "Transfer From" Inpatient Cases	CIHI DAD
SCN3.05	Percent NICU/SCN "Transfer To" Inpatient Cases	CIHI DAD

Obstetrical Indicators

TAB	CONTENTS	Data Source
1.0	Hospital Descriptors	
OBS 1.01	Obstetrical Volumes and Births	CIHI DAD
OBS 1.02	Obstetrical Age Profile	CIHI DAD
OBS 1.03	Average Length of Stay	CIHI DAD
OBS 1.04	Total Average Inpatient Weight per Case	CIHI DAD
OBS 1.05	Percent Typical, Outlier & Other Inpatient Cases and Patient Days	CIHI DAD
OBS 1.06	Percent Obstetrical "Transfer From" Inpatient Cases and Patient Days	CIHI DAD
OBS 1.07	Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days	CIHI DAD
OBS 1.08	Percent Cases and Days with Length of Stay > 30 Days	CIHI DAD
OBS 1.09	Obstetrical Top 5 CMGs	CIHI DAD

1.0 Provincial Overview

SCN 1.01 - Percent Distribution of Births Under 32 Weeks or 1500 Grams

The optimal site for birth of infants less than 32 weeks gestation and a birth weight of under 1,500 grams is in a hospital with a Level III NICU. It is well documented in the literature that the morbidity and mortality rate is higher for these infants when born outside a designated Level III perinatal centre. When possible, women in labour with a fetus less than 32 weeks gestation should be transferred to a Level III unit with fetus in utero.

Note: Some Level IIc units deliver infants at 30 and 31 weeks gestation based on historical practice. This is not yet broadly applied for all Level IIc units.


This graph displays the percent distribution of infants less than 32 weeks gestation or birth weight of under 1,500 grams born at each level of care.

Place of Birth Level	Cases	%
Level I	37	1.5
Level II	792	31.8
Level III	1,664	66.8
Total	2,493	100.0

Data source: BORN Ontario, 2015-2016 Extracted on Feb 2, 2017

Indicator definition: This analysis includes 500 grams <= birth weight <1500 grams or 20 weeks <= gestational week <32 weeks with all hospital live births for Ontario residents only.

Note: 1. This analysis included all hospitals' submission Up to Feb 2, 2017



2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.01 - Neonatal Inpatient Cases

This table presents the total number of neonatal cases and neonatal cases as a percent of all inpatient cases 0-17 years of age. The cases are also broken into typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient case episode. These cases include: deaths, long stays, transfer to/from other acute care institutions and sign outs.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
I	AGH	132	99%	92%	8%
I	AMGH	32	74%	75%	25%
I	BGH	172	74%	93%	7%
I	CCH	255	41%	93%	7%
I	DRHC	21	28%	86%	14%
I	GBGH	29	38%	79%	21%
I	GMCH	181	88%	94%	6%
I	HGH	72	72%	88%	13%
I	HHCC	255	43%	95%	5%
I	HH-Milton	140	75%	66%	34%
I	LH-Port Perry	99	88%	96%	4%
I	MAHC	77	61%	71%	29%
I	MHA-SMGH	22	32%	95%	5%
I	NGH	47	80%	68%	32%
I	NHH	138	70%	88%	12%
I	QHC	873	68%	91%	9%
I	RLMCMH	<6	12%	100%	0%
I	RMH	97	80%	88%	12%
I	SBGHC	97	82%	88%	12%
I	SLMHC	159	46%	85%	15%
I	Stevenson	84	85%	89%	11%
I	WAHA	24	25%	79%	21%
I	WDMH	123	100%	80%	20%
I	WGH	246	70%	92%	8%
I	WLMH	168	100%	75%	25%
I	WPSHC	34	40%	85%	15%
Ila	BWH	615	51%	97%	3%
Ila	CMH	873	52%	93%	7%
Ila	Montfort	1170	99%	91%	9%
Ila	STEGH	228	43%	81%	19%
Ilb	BCHS	460	41%	81%	19%
Ilb	CKHA	364	53%	85%	15%
Ilb	GBHS	282	38%	88%	12%
Ilb	GRH	1769	55%	90%	10%
Ilb	HH-Oakville-Trafalgar	773	40%	88%	12%
Ilb	HRH	1108	55%	87%	13%
Ilb	JBH	625	65%	80%	20%
Ilb	NHS	1541	43%	90%	10%
Ilb	PRHC	772	43%	88%	12%
Ilb	RVHS-Ajax&Pickering	730	66%	96%	4%
Ilb	SJHC Hamilton	1035	98%	81%	19%
Ilb	SJHC Toronto	1214	58%	92%	8%
Ilb	Southlake	799	38%	88%	12%
Ilb	THP-MH	1102	57%	92%	8%
Ilb	TSH-Birchmount	756	64%	93%	7%
Ilb	WOHS-Etobicoke	1201	54%	92%	8%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.01 - Neonatal Inpatient Cases

This table presents the total number of neonatal cases and neonatal cases as a percent of all inpatient cases 0-17 years of age. The cases are also broken into typical and non-typical cases. Non-typical cases are those representing unusual or exceptional circumstances during the patient case episode. These cases include: deaths, long stays, transfer to/from other acute care institutions and sign outs.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
IIc	HSN	656	40%	91%	9%
IIc	LH-Oshawa	1263	43%	93%	7%
IIc	MGH/TEGH	1266	61%	92%	8%
IIc	MSH	1380	67%	95%	5%
IIc	NBRHC	459	43%	87%	13%
IIc	NYGH	3070	70%	95%	5%
IIc	OSMH	497	45%	82%	18%
IIc	RVH	674	51%	92%	8%
IIc	RVHS-Centenary	1004	40%	91%	9%
IIc	SAH	355	41%	95%	5%
IIc	SMH	962	91%	84%	16%
IIc	TBRHSC	810	37%	93%	7%
IIc	THP-CVH	1685	50%	86%	14%
IIc	TOH-Civic	1217	95%	89%	11%
IIc	TSH-General	1134	66%	94%	6%
IIc	WOHS-Brampton	2725	52%	93%	7%
IIc	WRH	1209	47%	94%	6%
IIIa	SHS	3012	98%	71%	29%
IIIa	Sunnybrook	1475	92%	65%	35%
IIIa	TOH-General	1270	95%	78%	22%
IIIb	CH LHSC	2029	30%	82%	18%
IIIb	CHEO	697	10%	45%	55%
IIIb	KGH	844	35%	86%	14%
IIIb	MCH HHSC	2062	24%	58%	42%
IIIb	SickKids	1231	8%	27%	73%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal Cases	Neonatal Cases as % of Total Inpatient Cases	Typical Neonatal Cases as % of Total Neonatal Cases	Non-Typical Neonatal Cases as % of Total Neonatal Cases
IIb	HH	913	43%	85%	15%
IIc	LH	1363	45%	93%	7%
IIc	RVHS	1734	48%	93%	7%
IIc	TSH	1890	65%	94%	6%
IIc	WOHS	3926	53%	93%	7%
IIIa	TOH	2487	95%	84%	16%

2016 Ontario Hospitals Maternal-Child Services Report

Provincial Council for Maternal and Child Health
www.pcmch.on.ca

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
I	AGH	2.4	2.5	2.5	2.3	2.2
I	AMGH	1.7	1.8	1.7	1.8	1.8
I	BGH	2.7	2.4	2.0	2.2	1.9
I	CCH	2.5	2.1	2.5	3.0	2.4
I	DRHC	3.0	2.7	3.3	3.2	2.4
I	GBGH	3.1	2.1	2.2	2.6	2.6
I	GMCH	2.1	1.7	1.7	1.8	1.7
I	HGH	2.0	2.0	2.0	1.9	1.8
I	HHCC	2.5	2.5	2.1	2.0	2.1
I	HH-Georgetown	1.8	1.7	1.8	1.7	
I	HH-Milton	2.7	2.3	2.1	2.0	2.1
I	LH-Port Perry	2.1	2.1	2.0	1.8	1.9
I	MAHC	2.2	2.0	1.6	2.0	1.7
I	MHA-SMGH	2.6	2.0	1.6	2.1	1.8
I	NGH	2.3	2.3	2.0	2.0	2.1
I	NHH	2.3	2.1	2.2	2.0	1.9
I	QHC	3.5	3.7	3.2	3.0	2.8
I	RLMCMH	1.2	1.9		1.0	1.7
I	RMH	2.3	2.2	2.2	1.6	1.6
I	SBGHC	1.8	1.8	1.8	1.7	1.9
I	SLMHC	2.0	2.3	2.5	2.7	3.1
I	Stevenson	2.0	1.7	1.4	1.4	1.5
I	WAHA	5.7	3.6	3.1	3.1	3.0
I	WDMH	2.2	2.1	1.7	1.7	1.8
I	WGH	2.1	1.9	1.8	1.8	1.8
I	WLMH	2.0	1.8	1.7	1.8	1.6
I	WPSHC	2.6	2.7	2.5	2.3	2.1
Ila	BWH	4.9	4.2	4.1	3.5	2.9

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
Ila	CMH	3.1	3.5	3.2	3.0	3.0
Ila	Montfort	3.3	3.0	2.8	2.4	2.6
Ila	STEGH	4.2	4.9	4.7	4.3	4.5
Ilb	BCHS	5.2	5.4	5.1	5.2	5.1
Ilb	CKHA	3.0	3.5	3.7	3.5	3.9
Ilb	GBHS	4.9	5.8	5.8	5.9	6.0
Ilb	GRH	4.7	4.4	4.3	3.8	3.9
Ilb	HH-Oakville-Trafalgar	3.8	3.9	3.4	3.6	3.8
Ilb	HRH	4.3	4.1	4.1	3.8	3.8
Ilb	JBH	3.6	4.0	3.7	3.6	3.7
Ilb	NHS	4.3	4.4	3.7	3.9	3.6
Ilb	PRHC	4.9	5.3	4.6	4.9	4.7
Ilb	RVHS-Ajax&Pickering	2.2	2.4	2.6	2.5	2.9
Ilb	SJHC Hamilton	6.3	5.9	5.4	5.7	5.9
Ilb	SJHC Toronto	4.0	4.0	4.2	4.2	3.9
Ilb	Southlake	5.0	4.9	4.9	4.8	4.4
Ilb	THP-MH	3.6	4.1	4.0	3.8	3.9
Ilb	TSH-Birchmount	4.8	4.1	4.3	3.5	3.4
Ilb	WOHS-Etobicoke	3.1	2.8	3.2	3.3	3.2
Ilc	HSN	5.7	6.1	5.5	5.1	5.4
Ilc	LH-Oshawa	4.4	4.1	4.0	4.5	3.8
Ilc	MGH/TEGH	4.5	4.5	4.2	3.7	3.6
Ilc	MSH	3.4	3.7	3.6	3.3	3.2
Ilc	NBRHC	5.4	5.7	5.4	5.4	5.4

2016 Ontario Hospitals Maternal-Child Services Report

Provincial Council for Maternal and Child Health
www.pcmch.on.ca

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.02 - Neonatal Average LOS

This table present the average length of stay for all neonatal (0-28 days of age) inpatients. The length of stay is calculated from the date of admission to the date of discharge in days.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
IIc	NYGH	3.6	3.4	3.2	3.3	3.1
IIc	OSMH	6.8	6.4	4.9	5.3	5.0
IIc	RVH	6.4	7.1	6.7	5.4	5.1
IIc	RVHS-Centenary	6.3	5.8	5.6	6.0	4.8
IIc	SAH	5.2	4.9	5.5	4.7	5.0
IIc	SMH	5.6	5.9	6.0	6.4	6.4
IIc	TBRHSC	7.2	7.0	6.9	6.6	6.3
IIc	THP-CVH	6.3	6.8	6.2	6.3	6.0
IIc	TOH-Civic	5.8	5.7	5.8	5.6	5.4
IIc	TSH-General	3.6	3.7	3.6	3.7	3.5
IIc	WOHS-Brampton	4.3	3.8	4.0	4.1	4.1
IIc	WRH	5.8	6.1	6.3	5.8	5.6
IIIa	SHS	7.6	7.1	7.1	7.1	6.8
IIIa	Sunnybrook	10.3	9.8	7.9	8.8	9.2
IIIa	TOH-General	7.1	7.4	6.6	6.3	6.5
IIIb	CH LHSC	8.4	9.8	8.6	9.6	8.5
IIIb	CHEO	12.1	11.0	11.0	11.6	9.6
IIIb	KGH	10.0	11.8	7.9	8.4	8.4
IIIb	MCH HHSC	11.8	12.5	11.8	11.4	11.2
IIIb	SickKids	17.3	18.8	21.2	21.1	20.3

Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
IIb	HH	3.4	3.4	3.1	3.2	3.5
IIc	LH	4.1	4.0	3.8	4.3	3.6
IIc	RVHS	4.6	4.6	4.4	4.6	4.0
IIc	TSH	4.1	3.9	3.9	3.6	3.4
IIc	WOHS	3.9	3.5	3.7	3.8	3.8
IIIa	TOH	6.5	6.5	6.2	6.0	6.0

2016 Ontario Hospitals Maternal-Child Services Report

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.03 - Total Average Inpatient Weight per Case

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
I	AGH	0.42	0.30	0.29	0.30	0.30
I	AMGH	0.34	0.26	0.44	0.32	0.25
I	BGH	0.50	0.38	0.36	0.44	0.33
I	CCH	0.51	0.45	0.63	0.58	0.46
I	DRHC	0.35	0.28	0.40	0.39	0.34
I	GBGH	0.30	0.30	0.28	0.31	0.41
I	GMCH	0.32	0.30	0.29	0.30	0.30
I	HGH	0.30	0.34	0.32	0.31	0.29
I	HHCC	0.50	0.39	0.32	0.33	0.36
I	HH-Georgetown	0.36	0.35	0.30	0.27	
I	HH-Milton	0.31	0.27	0.27	0.31	0.36
I	LH-Port Perry	0.25	0.29	0.27	0.28	0.28
I	MAHC	0.29	0.29	0.29	0.27	0.24
I	MHA-SMGH	0.30	0.26	0.24	0.30	0.31
I	NGH	0.34	0.29	0.29	0.32	0.33
I	NHH	0.31	0.30	0.30	0.30	0.28
I	OHC	0.59	0.63	0.58	0.55	0.52
I	RLMCMH	0.30	0.29		0.32	0.41
I	RMH	0.26	0.28	0.33	0.26	0.27
I	SBGHC	0.30	0.29	0.31	0.30	0.32
I	SLMHC	0.43	0.37	0.43	0.52	0.60
I	Stevenson	0.33	0.28	0.27	0.34	0.30
I	WAHA	0.78	0.42	0.49	0.44	0.50
I	WDMH	0.28	0.30	0.28	0.27	0.29
I	WGH	0.31	0.29	0.30	0.29	0.27
I	WLMH	0.31	0.28	0.28	0.29	0.27
I	WPSHC	0.26	0.28	0.30	0.27	0.35
Ila	BWH	0.77	0.65	0.70	0.65	0.54

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.03 - Total Average Inpatient Weight per Case

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
Ila	CMH	0.54	0.61	0.57	0.53	0.58
Ila	Montfort	0.53	0.48	0.48	0.43	0.46
Ila	STEGH	0.76	0.88	0.90	0.82	0.81
Ilb	BCHS	0.88	0.90	0.91	0.94	0.96
Ilb	CKHA	0.54	0.62	0.62	0.69	0.75
Ilb	GBHS	1.06	1.01	1.03	1.16	1.08
Ilb	GRH	0.85	0.83	0.81	0.71	0.75
Ilb	HH-Oakville-Trafalgar	0.68	0.72	0.59	0.64	0.68
Ilb	HRH	0.81	0.79	0.74	0.73	0.75
Ilb	JBH	0.59	0.66	0.70	0.71	0.77
Ilb	NHS	0.73	0.75	0.62	0.69	0.63
Ilb	PRHC	0.84	0.94	0.84	0.88	0.84
Ilb	RVHS-Ajax&Pickering	0.45	0.48	0.54	0.56	0.64
Ilb	SJHC Hamilton	1.08	0.98	0.87	1.02	1.06
Ilb	SJHC Toronto	0.82	0.84	0.88	0.93	0.82
Ilb	Southlake	0.98	0.96	0.93	0.94	0.84
Ilb	THP-MH	0.62	0.73	0.68	0.65	0.70
Ilb	TSH-Birchmount	0.87	0.75	0.80	0.64	0.64
Ilb	WOHS-Etobicoke	0.56	0.50	0.60	0.60	0.59
Ilc	HSN	1.22	1.32	1.15	1.11	1.17
Ilc	LH-Oshawa	0.90	0.81	0.79	0.90	0.76
Ilc	MGH/TEGH	0.91	0.97	0.88	0.83	0.79
Ilc	MSH	0.69	0.82	0.82	0.75	0.68
Ilc	NBRHC	0.80	0.90	0.87	0.86	1.01

Section III: Population Specific Indicators - Neonatal Indicators

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.03 - Total Average Inpatient Weight per Case

This table presents the ARIW for all inpatient neonatal cases. The ARIW per case is reflective of the amount of resource required by the hospital to care for patients based on the CMG during their total hospital stay.

LOC	Hospital	Multi-Site Organization Ungrouped				
		FY1112	FY1213	FY1314	FY1415	FY1516
IIc	NYGH	0.67	0.66	0.63	0.66	0.61
IIc	OSMH	1.32	1.40	1.21	1.27	1.14
IIc	RVH	1.18	1.35	1.27	1.04	1.18
IIc	RVHS-Centenary	1.17	1.09	1.14	1.19	0.88
IIc	SAH	0.93	0.83	1.09	0.83	0.89
IIc	SMH	1.05	1.17	1.20	1.27	1.30
IIc	TBRHSC	1.17	1.20	1.19	0.98	1.04
IIc	THP-CVH	1.18	1.26	1.20	1.21	1.15
IIc	TOH-Civic	1.18	1.13	1.18	1.18	1.19
IIc	TSH-General	0.64	0.66	0.65	0.68	0.68
IIc	WOHS-Brampton	0.83	0.75	0.82	0.84	0.80
IIc	WRH	1.39	1.49	1.54	1.36	1.35
IIIa	SHS	1.91	1.80	1.76	1.94	1.74
IIIa	Sunnybrook	2.82	2.68	2.23	2.45	2.52
IIIa	TOH-General	1.75	1.78	1.73	1.63	1.82
IIIb	CH LHSC	2.41	2.74	2.38	2.51	2.28
IIIb	CHEO	3.87	3.40	3.23	3.71	3.32
IIIb	KGH	2.36	2.68	1.71	2.12	2.00
IIIb	MCH HHSC	3.25	3.49	3.34	3.26	3.27
IIIb	SickKids	6.62	7.50	8.72	8.05	8.97

Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
IIb	HH	0.58	0.61	0.52	0.57	0.63
IIc	LH	0.84	0.78	0.74	0.86	0.73
IIc	RVHS	0.88	0.88	0.91	0.95	0.78
IIc	TSH	0.72	0.69	0.71	0.66	0.67
IIc	WOHS	0.74	0.67	0.75	0.77	0.73
IIIa	TOH	1.47	1.45	1.46	1.42	1.51

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.04 - Percent Neonatal "Transfer From" Inpatient Cases and Patient Days

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer From" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
I	AGH	<6	1%	2	1%
I	CCH	<6	2%	23	4%
I	HH-Milton	<6	1%	1	0%
I	LH-Port Perry	<6	1%	3	2%
I	OHC	23	3%	281	12%
I	SLMHC	<6	1%	4	1%
I	WDMH	<6	1%	2	1%
IIa	BWH	6	1%	91	5%
IIa	CMH	30	3%	367	14%
IIa	Montfort	39	3%	340	11%
IIa	STEGH	27	12%	382	37%
IIb	BCHS	56	12%	599	26%
IIb	CKHA	22	6%	301	21%
IIb	GBHS	18	6%	174	10%
IIb	GRH	105	6%	1,677	24%
IIb	HH-Oakville-Trafalgar	52	7%	470	16%
IIb	HRH	64	6%	680	16%
IIb	JBH	102	16%	870	38%
IIb	NHS	77	5%	925	17%
IIb	PRHC	44	6%	577	16%
IIb	RVHS-Ajax&Pickering	<6	1%	38	2%
IIb	SJHC Hamilton	134	13%	2,163	35%
IIb	SJHC Toronto	50	4%	683	15%
IIb	Southlake	53	7%	732	21%
IIb	THP-MH	30	3%	509	12%
IIb	TSH-Birchmount	26	3%	396	15%
IIb	WOHS-Etobicoke	20	2%	342	9%
IIc	HSN	20	3%	302	9%
IIc	LH-Oshawa	54	4%	644	14%
IIc	MGH/TEGH	67	5%	1,047	23%
IIc	MSH	23	2%	312	7%
IIc	NBRHC	22	5%	375	15%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.04 - Percent Neonatal "Transfer From" Inpatient Cases and Patient Days

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer From" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
IIc	NYGH	70	2%	1,304	14%
IIc	OSMH	67	13%	562	23%
IIc	RVH	29	4%	426	12%
IIc	RVHS-Centenary	52	5%	1,127	23%
IIc	SAH	<6	1%	52	3%
IIc	SMH	104	11%	2,023	33%
IIc	TBRHSC	29	4%	456	9%
IIc	THP-CVH	128	8%	2,439	24%
IIc	TOH-Civic	69	6%	1,233	19%
IIc	TSH-General	24	2%	537	14%
IIc	WOHS-Brampton	81	3%	1,537	14%
IIc	WRH	21	2%	340	5%
IIIa	SHS	29	1%	930	5%
IIIa	Sunnybrook	49	3%	1,817	13%
IIIa	TOH-General	33	3%	730	9%
IIIb	CH LHSC	179	9%	2,595	15%
IIIb	CHEO	350	50%	4,976	75%
IIIb	KGH	67	8%	950	13%
IIIb	MCH HHSC	305	15%	4,897	21%
IIIb	SickKids	819	67%	19,049	76%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal "Transfer From" Cases	Neonatal "Transfer From" Cases as % of Total Neonatal Cases	Neonatal "Transfer From" Days	Neonatal "Transfer From" Days as % of Total Neonatal Days
IIb	HH	53	6%	471	15%
IIc	LH	55	4%	647	13%
IIc	RVHS	56	3%	1,165	17%
IIc	TSH	50	3%	933	14%
IIc	WOHS	101	3%	1,879	12%
IIIa	TOH	102	4%	1,963	13%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
I	AGH	10	8%	14	5%
I	AMGH	8	25%	8	14%
I	BGH	11	6%	11	3%
I	CCH	13	5%	16	3%
I	DRHC	<6	14%	3	6%
I	GBGH	6	21%	9	12%
I	GMCH	9	5%	11	4%
I	HGH	8	11%	9	7%
I	HHCC	11	4%	12	2%
I	HH-Milton	43	31%	52	18%
I	LH-Port Perry	<6	3%	3	2%
I	MAHC	21	27%	21	16%
I	MHA-SMGH	<6	5%	1	3%
I	NGH	15	32%	17	17%
I	NHH	13	9%	15	6%
I	QHC	48	5%	98	4%
I	RMH	12	12%	12	8%
I	SBGHC	12	12%	13	7%
I	SLMHC	11	7%	16	3%
I	Stevenson	9	11%	11	8%
I	WAHA	<6	17%	7	10%
I	WDMH	21	17%	28	13%
I	WGH	20	8%	23	5%
I	WLMH	41	24%	47	18%
I	WPSHC	<6	15%	6	8%
Ila	BWH	7	1%	10	1%
Ila	CMH	28	3%	67	3%
Ila	Montfort	64	5%	105	3%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
IIa	STEGH	11	5%	21	2%
IIb	BCHS	26	6%	86	4%
IIb	CKHA	27	7%	49	3%
IIb	GBHS	13	5%	46	3%
IIb	GRH	66	4%	341	5%
IIb	HH-Oakville-Trafalgar	33	4%	140	5%
IIb	HRH	67	6%	184	4%
IIb	JBH	30	5%	76	3%
IIb	NHS	62	4%	176	3%
IIb	PRHC	27	3%	91	2%
IIb	RVHS-Ajax&Pickering	14	2%	27	1%
IIb	SJHC Hamilton	60	6%	405	7%
IIb	SJHC Toronto	23	2%	73	2%
IIb	Southlake	36	5%	114	3%
IIb	THP-MH	31	3%	108	3%
IIb	TSH-Birchmount	18	2%	31	1%
IIb	WOHS-Etobicoke	41	3%	176	5%
IIc	HSN	25	4%	193	5%
IIc	LH-Oshawa	29	2%	104	2%
IIc	MGH/TEGH	21	2%	37	1%
IIc	MSH	35	3%	116	3%
IIc	NBRHC	27	6%	179	7%
IIc	NYGH	45	1%	201	2%
IIc	OSMH	22	4%	58	2%
IIc	RVH	18	3%	40	1%
IIc	RVHS-Centenary	25	2%	110	2%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal (0-28 days) only.

SCN 2.05 - Percent Neonatal "Transfer To" Inpatient Cases and Patient Days

This table below presents the percentage of neonatal cases, and associated days that were recorded as "Transfer To" another acute care institution within CIHI coding. Hospitals with less than 6 cases are indicated as "<6".

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
IIc	SAH	10	3%	34	2%
IIc	SMH	41	4%	310	5%
IIc	TBRHSC	10	1%	33	1%
IIc	THP-CVH	69	4%	247	2%
IIc	TOH-Civic	57	5%	357	5%
IIc	TSH-General	22	2%	64	2%
IIc	WOHS-Brampton	87	3%	372	3%
IIc	WRH	33	3%	145	2%
IIIa	SHS	737	24%	10,793	53%
IIIa	Sunnybrook	460	31%	7,749	57%
IIIa	TOH-General	224	18%	2,956	36%
IIIb	CH LHSC	169	8%	2,762	16%
IIIb	CHEO	95	14%	956	14%
IIIb	KGH	34	4%	532	7%
IIIb	MCH HHSC	612	30%	8,749	38%
IIIb	SickKids	382	31%	6,376	25%

Multi-Site Organizations Grouped at their Highest Level of Care					
LOC	Hospital	Neonatal "Transfer To" Cases	Neonatal "Transfer To" Cases as % of Total Neonatal Cases	Neonatal "Transfer To" Days	Neonatal "Transfer To" Days as % of Total Neonatal Days
IIb	HH	76	8%	192	6%
IIc	LH	32	2%	107	2%
IIc	RVHS	39	2%	137	2%
IIc	TSH	40	2%	95	1%
IIc	WOHS	128	3%	548	4%
IIIa	TOH	281	11%	3,313	22%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.06 - Percent Cases and Days with LOS > 30 Days

This table shows the percentage of all neonatal inpatient cases and associated days with a total length of stay greater than 30 days. Hospitals with less than 6 cases are indicated as "<6". Hospital with 0 cases are excluded.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
I	CCH	<6	0%	43	7%
Ila	BWH	<6	0%	31	2%
Ila	CMH	<6	0%	104	4%
Ila	Montfort	<6	0%	46	2%
Ila	STEGH	<6	2%	196	19%
Ilb	BCHS	<6	1%	137	6%
Ilb	CKHA	<6	0%	32	2%
Ilb	GBHS	6	2%	286	17%
Ilb	GRH	21	1%	781	11%
Ilb	HH-Oakville-Trafalgar	7	1%	259	9%
Ilb	HRH	13	1%	502	12%
Ilb	JBH	<6	0%	95	4%
Ilb	NHS	9	1%	325	6%
Ilb	PRHC	10	1%	353	10%
Ilb	RVHS-Ajax&Pickering	<6	0%	346	17%
Ilb	SJHC Hamilton	31	3%	1316	21%
Ilb	SJHC Toronto	12	1%	475	10%
Ilb	Southlake	11	1%	427	12%
Ilb	THP-MH	11	1%	388	9%
Ilb	TSH-Birchmount	<6	1%	201	8%
Ilb	WOHS-Etobicoke	7	1%	276	7%
Ilc	HSN	18	3%	766	22%
Ilc	LH-Oshawa	14	1%	507	11%
Ilc	MGH/TEGH	14	1%	582	13%
Ilc	MSH	13	1%	482	11%
Ilc	NBRHC	9	2%	434	17%
Ilc	NYGH	46	1%	2036	21%

2.0 Neonatal Distribution

This section includes all neonatal inpatient cases of participating hospitals, with the exclusion criteria applied. The charts display neonatal(0-28 days) only.

SCN 2.06 - Percent Cases and Days with LOS > 30 Days

This table shows the percentage of all neonatal inpatient cases and associated days with a total length of stay greater than 30 days. Hospitals with less than 6 cases are indicated as "<6". Hospital with 0 cases are excluded.

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
IIc	OSMH	12	2%	466	19%
IIc	RVH	13	2%	475	14%
IIc	RVHS-Centenary	25	2%	1031	21%
IIc	SAH	10	3%	423	24%
IIc	SMH	48	5%	2029	33%
IIc	TBRHSC	19	2%	779	15%
IIc	THP-CVH	54	3%	2102	21%
IIc	TOH-Civic	20	2%	845	13%
IIc	TSH-General	16	1%	654	17%
IIc	WOHS-Brampton	39	1%	1552	14%
IIc	WRH	43	4%	2077	31%
IIIa	SHS	165	5%	10596	52%
IIIa	Sunnybrook	125	8%	7801	58%
IIIa	TOH-General	66	5%	4054	49%
IIIb	CH LHSC	118	6%	8412	49%
IIIb	CHEO	38	5%	2547	38%
IIIb	KGH	51	6%	3106	44%
IIIb	MCH HHSC	170	8%	13240	57%
IIIb	SickKids	209	17%	16669	67%

Multi-Site Organizations Ungrouped					
LOC	Hospital	Neonatal Cases with LOS > 30 Days	Neonatal Cases with LOS > 30 Days as % of Total Neonatal Cases	Neonatal Days with LOS > 30 Days	Neonatal Days with LOS > 30 Days as % of Total Neonatal Days
IIb	HH	7	1%	259	8%
IIc	LH	14	1%	507	10%
IIc	RVHS	27	2%	1377	20%
IIc	TSH	21	1%	855	13%
IIc	WOHS	46	1%	1828	12%
IIIa	TOH	86	3%	4899	33%

3.0 NICU/SCU Distribution

SCN 3.01 - NICU/SCN Inpatient Cases

This table presents inpatient cases based on the following locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The table further breaks down cases by typical and non-typical cases. Non typical cases are those representing unusual or exceptional circumstances during the patient care episode. These cases include: deaths, long stays, transfer to/or from other acute care institutions and sign outs. Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
I	QHC	289	226	78.2%	63	21.8%
Ila	BWH	205	188	91.7%	17	8.3%
Ila	CMH	423	365	86.3%	58	13.7%
Ila	Montfort	518	416	80.3%	102	19.7%
Ila	STEGH	76	42	55.3%	34	44.7%
Ilb	BCHS	265	170	64.2%	95	35.8%
Ilb	GBHS	190	158	83.2%	32	16.8%
Ilb	GRH	660	481	72.9%	179	27.1%
Ilb	HH-Oakville-Trafalgar	296	210	70.9%	86	29.1%
Ilb	HRH	295	217	73.6%	78	26.4%
Ilb	HRH	295	217	73.6%	78	26.4%
Ilb	JBH	223	109	48.9%	114	51.1%
Ilb	NHS	519	358	69.0%	161	31.0%
Ilb	PRHC	372	295	79.3%	77	20.7%
Ilb	RVHS-Ajax&Pickering	219	198	90.4%	21	9.6%
Ilb	SJHC Hamilton	473	264	55.8%	209	44.2%
Ilb	SJHC Toronto	428	347	81.1%	81	18.9%
Ilb	Southlake	372	275	73.9%	97	26.1%
Ilb	THP-MH	418	343	82.1%	75	17.9%
Ilb	TSH-Birchmount	262	212	80.9%	50	19.1%
Ilb	WOHS-Etobicoke	417	337	80.8%	80	19.2%
Ilc	HSN	249	194	77.9%	55	22.1%
Ilc	LH-Oshawa	378	286	75.7%	92	24.3%
Ilc	MGH/TEGH	386	293	75.9%	93	24.1%
Ilc	MSH	374	311	83.2%	63	16.8%
Ilc	NBRHC	253	198	78.3%	55	21.7%
Ilc	NYGH	381	254	66.7%	127	33.3%

3.0 NICU/SCU Distribution

SCN 3.01 - NICU/SCN Inpatient Cases

This table presents inpatient cases based on the following locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The table further breaks down cases by typical and non-typical cases. Non typical cases are those representing unusual or exceptional circumstances during the patient care episode. These cases include: deaths, long stays, transfer to/from other acute care institutions and sign outs. Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
IIc	OSMH	292	204	69.9%	88	30.1%
IIc	RVH	311	258	83.0%	53	17.0%
IIc	RVHS-Centenary	478	391	81.8%	87	18.2%
IIc	SAH	48	41	85.4%	7	14.6%
IIc	SMH	464	302	65.1%	162	34.9%
IIc	TBRHSC	413	338	81.8%	75	18.2%
IIc	THP-CVH	907	651	71.8%	256	28.2%
IIc	TOH-Civic	722	585	81.0%	137	19.0%
IIc	TSH-General	309	250	80.9%	59	19.1%
IIc	WOHS-Brampton	1,079	880	81.6%	199	18.4%
IIc	WRH	501	423	84.4%	78	15.6%
IIIa	SHS	1,185	370	31.2%	815	68.8%
IIIa	Sunnybrook	661	159	24.1%	502	75.9%
IIIa	TOH-General	663	406	61.2%	257	38.8%
IIIb	CH LHSC	843	591	70.1%	252	29.9%
IIIb	CHEO	393	42	10.7%	351	89.3%
IIIb	KGH	441	327	74.1%	114	25.9%
IIIb	MCH HHSC	1,250	423	33.8%	827	66.2%
IIIb	SickKids	787	51	6.5%	736	93.5%


Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	Total NICU/SCU Inpatient Cases	Typical NICU/SCU Cases	Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases	Non-Typical NICU/SCU Cases	Non-Typical NICU/SCU Cases as % of Total NICU/SCU Inpatient Cases
IIb	HH	296	210	70.9%	86	29.1%
IIc	LH	378	286	75.7%	92	24.3%
IIc	RVHS	697	589	84.5%	108	15.5%
IIc	TSH	571	462	80.9%	109	19.1%
IIc	WOHS	1,496	1,217	81.4%	279	18.6%
IIIa	TOH	1,385	991	71.6%	394	28.4%

3.0 NICU/SCU Distribution


SCN 3.02 - NICU/SCN Age Profile

This table and chart present the age profile for inpatients (neonatal 0-28 days and paediatrics 29 days and over at date of admission) in the following NICU/SCN locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/ general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. Hospitals with less than 6 cases are indicated as "<6". Hospitals with 0 cases are excluded.

Multi-Site Organizations Ungrouped			
LOC	Hospital	0-28 Days	29 Days and Over
I	QHC	287	<6
Ila	BWH	203	<6
Ila	CMH	422	<6
Ila	Montfort	517	<6
Ila	STEGH	74	<6
Ilb	BCHS	255	10
Ilb	GBHS	187	<6
Ilb	GRH	639	21
Ilb	HH-Oakville-Trafalgar	292	<6
Ilb	HRH	286	9
Ilb	HRH	286	9
Ilb	JBH	213	10
Ilb	NHS	502	17
Ilb	PRHC	364	8
Ilb	RVHS-Ajax&Pickering	219	
Ilb	SJHC Hamilton	450	23
Ilb	SJHC Toronto	412	16
Ilb	Southlake	360	12
Ilb	THP-MH	412	6
Ilb	TSH-Birchmount	259	<6
Ilb	WOHS-Etobicoke	412	<6
Ilc	HSN	235	14
Ilc	LH-Oshawa	363	15
Ilc	MGH/TEGH	375	11
Ilc	MSH	363	11
Ilc	NBRHC	248	<6
Ilc	NYGH	366	15
Ilc	OSMH	285	7
Ilc	RVH	304	7
Ilc	RVHS-Centenary	463	15
Ilc	SAH	48	
Ilc	SMH	436	28
Ilc	TBRHSC	374	39
Ilc	THP-CVH	859	48
Ilc	TOH-Civic	710	12
Ilc	TSH-General	301	8
Ilc	WOHS-Brampton	1,056	23
Ilc	WRH	484	17
IIla	SHS	1,169	16
IIla	Sunnybrook	649	12
IIla	TOH-General	658	<6
IIIb	CH LHSC	827	16
IIIb	CHEO	371	22
IIIb	KGH	434	7
IIIb	MCH HHSC	1,236	14
IIIb	SickKids	707	80



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	0-28 Days	29 Days and Over
Ilb	HH	292	<6
Ilc	LH	363	15
Ilc	RVHS	682	15
Ilc	TSH	560	11
Ilc	WOHS	1,468	28
IIla	TOH	1,368	17




3.0 NICU/SCU Distribution


SCN 3.03 - NICU/SCN Average LOS

This table and chart present the Average LOS for all inpatient cases based on the following NICU/SCN locations in the CIHI DAD abstract: 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3. The LOS is calculated from the date of admission to the date of discharge, in days.

Multi-Site Organizations Ungrouped						
LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
I	QHC				4.0	3.2
IIa	BWH			5.9	5.0	4.1
IIa	CMH			3.0	3.5	3.4
IIa	Montfort	0.7	2.6	2.7	2.7	2.5
IIa	STEGH				7.9	7.8
IIb	BCHS	6.3	6.1	6.0	7.8	7.0
IIb	CKHA				0.5	
IIb	GBHS	6.4	6.4	6.5	6.5	5.5
IIb	GRH	8.9	8.3	7.4	6.6	7.3
IIb	HH-Oakville-Trafalgar	7.9	7.3	7.8	6.7	6.4
IIb	HRH	6.3	9.0	8.3	7.7	7.8
IIb	HRH	6.3	9.0	8.3	7.7	7.8
IIb	JBH	5.0	6.2	5.5	6.8	6.5
IIb	NHS	7.0	7.7	6.6	7.3	6.9
IIb	PRHC	6.1	6.9	6.1	7.6	6.6
IIb	RVHS-Ajax&Pickering	2.8	2.6	3.4	3.8	3.8
IIb	SJHC Hamilton	11.2	10.9	10.0	10.5	10.7
IIb	SJHC Toronto	8.6	8.3	8.6	8.7	7.9
IIb	Southlake	6.7	6.7	6.4	7.0	7.1
IIb	THP-MH	6.1	6.2	5.7	5.4	7.0
IIb	TSH-Birchmount	8.0	7.5	7.6	6.0	6.4
IIb	WOHS-Etobicoke	5.4	5.1	5.8	5.2	5.3
IIc	HSN	7.3	7.9	7.9	6.5	9.0
IIc	LH-Oshawa	8.0	8.0	7.3	8.1	7.6
IIc	MGH/TEGH	9.1	8.7	8.6	8.0	7.8
IIc	MSH	6.7	8.0	7.3	7.0	6.4
IIc	NBRHC	9.2	8.7	10.9	7.8	7.2
IIc	NYGH	11.9	12.1	12.5	13.0	13.0
IIc	OSMH	7.7	8.9	6.5	7.1	6.9
IIc	RVH	9.4	10.2	8.9	8.0	8.3
IIc	RVHS-Centenary	10.3	9.8	9.4	10.7	8.6
IIc	SAH	7.2	7.8	7.4	7.9	6.7
IIc	SMH	11.8	12.2	10.9	10.8	11.0
IIc	TBRHSC	7.5	7.8	8.2	7.7	7.2
IIc	THP-CVH	9.9	12.0	11.0	10.6	9.8
IIc	TOH-Civic	6.9	6.8	7.2	7.0	7.2
IIc	TSH-General	7.0	7.7	8.4	7.4	7.9
IIc	WOHS-Brampton	8.6	8.1	7.7	7.9	7.8
IIc	WRH	11.3	12.2	16.4	11.2	10.8
IIa	SHS	14.7	13.9	14.7	15.0	14.5
IIa	Sunnybrook	18.1	17.0	16.5	17.3	18.6
IIa	TOH-General	8.5	9.1	9.4	9.0	10.0
IIIb	CH LHSC	15.7	16.0	14.8	14.8	14.6
IIIb	CHEO	13.2	12.8	12.6	13.7	11.4
IIIb	KGH	15.3	15.1	11.0	14.1	13.8
IIIb	MCH HHSC	15.4	15.2	15.3	16.0	15.9
IIIb	SickKids	15.8	17.2	18.0	16.9	16.1



Multi-Site Organizations Grouped at their Highest Level of Care						
LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
IIb	HH	7.9	7.3	7.8	6.7	6.4
IIc	LH	8.0	8.0	7.3	8.1	7.6
IIc	RVHS	8.5	8.0	7.6	8.8	7.1
IIc	TSH	7.5	7.6	8.0	6.8	7.2
IIc	WOHS	7.7	7.2	7.2	7.2	7.1
IIa	TOH	7.7	7.9	8.3	8.0	8.5




3.0 NICU/SCU Distribution


SCN 3.04 - Percent NICU/SCN "Transfer From" Inpatient Cases

This chart presents the proportion of all inpatient cases that were recorded as "transferred from" another institution that spent time in a NICU, locations 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3 in the CIHI DAD abstract.

Multi-Site Organizations Ungrouped			
LOC	Hospital	Inpatient Cases: "Transfer From" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
I	QHC	22	8%
IIa	BWH	8	4%
IIa	CMH	28	7%
IIa	Montfort	41	8%
IIa	STEGH	23	30%
IIb	BCHS	64	24%
IIb	GBHS	20	11%
IIb	GRH	126	19%
IIb	HH-Oakville-Trafalgar	53	18%
IIb	HRH	56	19%
IIb	HRH	56	19%
IIb	JBH	99	44%
IIb	NHS	94	18%
IIb	PRHC	43	12%
IIb	RVHS-Ajax&Pickering	<6	2%
IIb	SJHC Hamilton	155	33%
IIb	SJHC Toronto	56	13%
IIb	Southlake	63	17%
IIb	THP-MH	33	8%
IIb	TSH-Birchmount	28	11%
IIb	WOHS-Etobicoke	21	5%
IIc	HSN	21	8%
IIc	LH-Oshawa	65	17%
IIc	MGH/TEGH	73	19%
IIc	MSH	31	8%
IIc	NBRHC	24	9%
IIc	NYGH	74	19%
IIc	OSMH	68	23%
IIc	RVH	33	11%
IIc	RVHS-Centenary	61	13%
IIc	SAH	<6	4%
IIc	SMH	131	28%
IIc	TBRHSC	49	12%
IIc	THP-CVH	172	19%
IIc	TOH-Civic	80	11%
IIc	TSH-General	30	10%
IIc	WOHS-Brampton	100	9%
IIc	WRH	30	6%
IIIa	SHS	44	4%
IIIa	Sunnybrook	57	9%
IIIa	TOH-General	37	6%
IIIb	CH LHSC	124	15%
IIIb	CHEO	358	91%
IIIb	KGH	71	16%
IIIb	MCH HHSC	290	23%
IIIb	SickKids	707	90%



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	Inpatient Cases: "Transfer From" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
IIb	HH	53	18%
IIc	LH	65	17%
IIc	RVHS	65	9%
IIc	TSH	58	10%
IIc	WOHS	121	8%
IIIa	TOH	117	8%




3.0 NICU/SCU Distribution


SCN 3.05 - Percent NICU/SCN "Transfer To" Inpatient Cases

This chart presents the proportion of all inpatient cases that were recorded as "transferred to" another institution that spent time in a NICU, locations 50 NICU (NICU undifferentiated/general), 51 NICU Level 1, 52 NICU Level 2, and 53 NICU Level 3 in the CIHI DAD abstract.

Multi-Site Organizations Ungrouped			
LOC	Hospital	Inpatient Cases: "Transfer To" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
I	QHC	41	14%
Ila	BWH	9	4%
Ila	CMH	29	7%
Ila	Montfort	66	13%
Ila	STEGH	10	13%
Ilb	BCHS	42	16%
Ilb	GBHS	17	9%
Ilb	GRH	70	11%
Ilb	HH-Oakville-Trafalgar	31	10%
Ilb	HRH	21	7%
Ilb	HRH	21	7%
Ilb	JBH	24	11%
Ilb	NHS	69	13%
Ilb	PRHC	24	6%
Ilb	RVHS-Ajax&Pickering	14	6%
Ilb	SJHC Hamilton	80	17%
Ilb	SJHC Toronto	23	5%
Ilb	Southlake	38	10%
Ilb	THP-MH	29	7%
Ilb	TSH-Birchmount	16	6%
Ilb	WOHS-Etobicoke	43	10%
Ilc	HSN	43	17%
Ilc	LH-Oshawa	34	9%
Ilc	MGH/TEGH	26	7%
Ilc	MSH	29	8%
Ilc	NBRHC	37	15%
Ilc	NYGH	47	12%
Ilc	OSMH	32	11%
Ilc	RVH	20	6%
Ilc	RVHS-Centenary	22	5%
Ilc	SAH	<5	10%
Ilc	SMH	42	9%
Ilc	TBRHSC	30	7%
Ilc	THP-CVH	74	8%
Ilc	TOH-Civic	67	9%
Ilc	TSH-General	24	8%
Ilc	WOHS-Brampton	108	10%
Ilc	WRH	36	7%
IIla	SHS	749	63%
IIla	Sunnybrook	469	71%
IIla	TOH-General	222	33%
IIlb	CH LHSC	165	20%
IIlb	CHEO	141	36%
IIlb	KGH	52	12%
IIlb	MCH HHSC	673	54%
IIlb	SickKids	419	53%



Multi-Site Organizations Grouped at their Highest Level of Care			
LOC	Hospital	Inpatient Cases: "Transfer To" Other Institutions to NICU/SCU	
		Total Number	As % of All NICU/SCU Cases
Ilb	HH	31	10%
Ilc	LH	34	9%
Ilc	RVHS	36	5%
Ilc	TSH	40	7%
Ilc	WOHS	151	10%
IIla	TOH	289	21%




1.0 Hospital Descriptors

OBS 1.01 - Obstetrical Volumes and Births

This table and chart depict total inpatient obstetrical volumes, total inpatient deliveries, and percentage of obstetrical admission with a delivery. Deliveries are defined as : CMGs 558-565.

LOC	Hospital	Total OBS Cases	Total Deliveries	% of Deliveries
Ia	AMGH	107	97	91%
Ia	DRHC	119	104	87%
Ia	MHA-SMGH	97	85	88%
Ia	WAHA	58	47	81%
Ia	RLMCMH	33	20	61%
Ib	AGH	409	392	96%
Ib	BGH	364	331	91%
Ib	CCH	591	539	91%
Ib	GBGH	173	153	88%
Ib	GMCH	423	395	93%
Ib	HGH	435	412	95%
Ib	HHCC	772	729	94%
Ib	HH-Georgetown	8	0	0%
Ib	HH-Milton	987	934	95%
Ib	LH-Port Perry	268	254	95%
Ib	MAHC	298	280	94%
Ib	NGH	387	324	84%
Ib	NHH	507	492	97%
Ib	QHC	1,638	1,501	92%
Ib	RMH	401	354	88%
Ib	SBGHC	430	415	97%
Ib	SLMHC	461	383	83%
Ib	Stevenson	427	360	84%
Ib	WDMH	758	744	98%
Ib	WGH	948	884	93%
Ib	WLMH	966	907	94%
Ib	WPSHC	125	108	86%
Ila	BWH	1,105	1,021	92%
Ila	CMH	1,517	1,357	89%
Ila	Montfort	3,529	3,212	91%
Ila	STEGH	716	666	93%
Ilb	HRH	3,312	2,955	89%
Ilb	BCHS	1,503	1,400	93%
Ilb	CKHA	1,002	857	86%
Ilb	GBHS	807	713	88%
Ilb	GRH	4,607	4,093	89%
Ilb	HH-Oakville-Trafalgar	2,338	2,198	94%
Ilb	JBH	1,529	1,435	94%
Ilb	NHS	3,030	2,733	90%
Ilb	PRHC	1,715	1,575	92%
Ilb	RVHS-Ajax&Pickering	1,685	1,533	91%
Ilb	SJHC Hamilton	3,561	3,206	90%
Ilb	SJHC Toronto	3,618	3,291	91%
Ilb	Southlake	2,788	2,559	92%
Ilb	THP-MH	3,736	3,563	95%
Ilb	TSH-Birchmount	1,924	1,753	91%
Ilb	WOHS-Brampton	5,897	5,279	90%
Ilb	WOHS-Etobicoke	2,782	2,527	91%
Ilc	HSN	1,998	1,854	93%
Ilc	LH-Oshawa	2,842	2,612	92%
Ilc	MSH	3,240	3,070	95%
Ilc	NBRHC	1,052	873	83%
Ilc	NYGH	6,049	5,605	93%
Ilc	OSMH	1,073	937	87%
Ilc	RVH	2,213	2,016	91%
Ilc	RVHS-Centenary	2,290	2,072	90%
Ilc	SAH	1,011	897	89%
Ilc	TBRHSC	1,665	1,481	89%
Ilc	MGH / TEGH	3,319	2,950	89%
Ilc	THP-CVH	5,565	5,033	90%
Ilc	TSH-General	2,752	2,525	92%
Ilc	WRH	3,854	3,528	92%
III	CH LHSC	6,345	5,553	88%
III	KGH	2,188	1,959	90%
III	MCH HHSC	3,696	3,129	85%
III	SHS	9,278	7,067	76%
III	SMH	3,041	2,719	89%
III	Sunnybrook	4,497	3,854	86%
III	TOH-Civic	3,547	3,077	87%
III	TOH-General	3,490	2,814	81%



1.0 Hospital Descriptors

OBS 1.02 - Obstetrical Age Profile


This table provides the distribution of cases by age category of the inpatient obstetrical cases of each hospital. The age categories are: <20 years, 20-24, 25-29, 30-34, 35-39, 40-44, 45+ years. Zero volumes are shown as blank and a volume less than 6 is indicated as "<6".

LOC	Hospital	<20 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Ia	AMGH	<6	18	41	30	10	<6	
Ia	DRHC	6	26	36	28	21	<6	
Ia	MHA-SMGH	8	17	33	27	10	<6	
Ia	WAHA	10	17	14	13	<6		
Ia	RLMH	<6	<6	8	14	<6	<6	
Ib	AGH	6	37	152	157	49	7	<6
Ib	BGH	19	76	113	106	43	6	<6
Ib	CCH	47	177	188	122	48	9	
Ib	GBGH	8	37	58	53	17		
Ib	GMCH	9	71	133	150	44	14	<6
Ib	HGH	11	93	161	119	42	9	
Ib	HHCC	15	74	252	290	115	24	<6
Ib	HH-Georgetown			<6	<6	<6		
Ib	HH-Milton	9	67	199	438	232	41	<6
Ib	LH-Port Perry	<6	40	88	96	33	6	
Ib	MAHC	13	64	96	89	32	<6	
Ib	NGH	21	87	129	106	28	15	<6
Ib	NHH	6	51	204	171	64	11	
Ib	QHC	85	331	554	467	173	26	<6
Ib	RMH	20	86	135	118	33	9	
Ib	SBGHC	16	65	155	149	41	<6	
Ib	SLMHC	61	136	128	96	31	9	
Ib	Stevenson	9	60	144	142	58	13	<6
Ib	WDMH	21	118	285	245	78	11	
Ib	WGH	39	201	350	269	71	17	<6
Ib	WLMH	11	105	307	348	167	28	
Ib	WPSHC	<6	23	47	39	11	<6	
Ila	BWH	56	197	401	321	106	23	<6
Ila	CMH	67	227	486	502	201	33	<6
Ila	Montfort	39	266	998	1,350	743	127	6
Ila	STEGH	38	152	225	214	77	9	<6
Ilb	HRH	84	429	883	1,075	664	165	12
Ilb	BCHS	87	264	486	463	181	21	<6
Ilb	CKHA	52	232	323	279	102	14	
Ilb	GBHS	30	136	288	244	97	12	
Ilb	GRH	77	555	1,348	1,730	752	139	6
Ilb	HH-Oakville-Trafalgar	14	105	409	962	694	143	11
Ilb	JBH	18	97	391	629	332	60	<6
Ilb	NHS	104	551	916	970	396	85	8
Ilb	PRHC	70	284	548	549	229	34	<6
Ilb	RVHS-Ajax&Pickering	25	161	508	602	318	69	<6
Ilb	SJHC Hamilton	117	457	1,032	1,267	566	115	7
Ilb	SJHC Toronto	43	282	724	1,412	943	202	12
Ilb	Southlake	22	214	753	1,117	559	116	7
Ilb	THP-MH	44	263	955	1,453	810	198	13
Ilb	TSH-Birchmount	24	188	541	694	383	84	10
Ilb	WOHS-Brampton	78	520	1,739	2,239	1,088	212	21
Ilb	WOHS-Etobicoke	43	286	826	987	503	123	14
Ilc	HSN	100	362	702	574	220	39	<6
Ilc	LH-Oshawa	77	396	845	1,011	430	80	<6
Ilc	MSH	11	104	742	1,421	793	152	17
Ilc	NBRHC	44	237	360	289	105	17	
Ilc	NYGH	21	265	1,296	2,462	1,631	360	14
Ilc	OSMH	34	193	351	324	140	29	<6
Ilc	RVH	47	285	684	742	369	80	6
Ilc	RVHS-Centenary	36	219	675	844	423	89	<6
Ilc	SAH	54	212	301	307	117	19	<6
Ilc	TBRHSC	105	307	483	492	232	45	<6
Ilc	MGH / TEGH	40	290	748	1,201	833	197	10
Ilc	THP-CVH	38	305	1,372	2,313	1,258	258	21
Ilc	TSH-General	47	322	881	902	461	123	16
Ilc	WRH	125	581	1,130	1,304	584	120	10
III	CH LHSC	194	863	1,848	2,239	993	200	8
III	KGH	66	329	651	741	336	63	<6
III	MCH HHSC	78	423	931	1,329	736	181	18
III	SHS	103	404	1,476	3,649	2,791	768	87
III	SMH	25	176	610	1,182	839	190	19
III	Sunnybrook	35	166	735	1,950	1,254	322	35
III	TOH-Civic	46	290	775	1,415	810	194	17
III	TOH-General	76	375	878	1,155	777	204	25

1.0 Hospital Descriptors

OBS 1.02 - Obstetrical Age Profile

This table provides the distribution of cases by age category of the inpatient obstetrical cases of each hospital. The age categories are: <20 years, 20-24, 25-29, 30-34, 35-39, 40-44, 45+ years. Zero volumes are shown as blank and a volume less than 6 is indicated as "<6".




1.0 Hospital Descriptors

OBS 1.03 - Average Length of Stay

This table and chart present the total average length of stay for all inpatient obstetrical cases. The length of stay is calculated from the date of admission to the date of discharge.

LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
Ia	AMGH	2.1	1.7	1.8	1.6	1.7
Ia	DRHC	2.6	2.9	2.8	2.7	2.5
Ia	MHA-SMGH	2.0	2.1	1.8	1.8	1.9
Ia	RLMCMH	1.3	1.5	1.5	1.5	1.3
Ia	WAHA	2.6	3.0	2.6	2.9	2.7
Ib	AGH	2.6	2.3	2.4	2.3	2.2
Ib	BGH	2.4	1.9	1.8	1.9	1.9
Ib	CCH	2.0	1.9	1.9	1.8	1.9
Ib	GBGH	2.7	2.6	2.4	2.5	2.2
Ib	GMCH	1.9	1.7	1.6	1.7	1.7
Ib	HGH	2.0	2.0	1.9	1.9	1.9
Ib	HHCC	2.2	2.1	2.0	1.9	1.8
Ib	HH-Georgetown	1.9	1.9	1.8	1.9	1.6
Ib	HH-Milton	2.1	2.0	1.9	1.9	1.9
Ib	LH-Port Perry	2.2	2.1	2.1	2.0	2.0
Ib	MAHC	2.0	2.0	1.9	1.8	1.8
Ib	NGH	2.0	1.9	1.8	1.8	1.9
Ib	NHH	2.3	2.1	2.1	2.0	1.9
Ib	QHC	2.1	2.1	2.0	2.1	2.0
Ib	RMH	2.2	2.1	2.0	1.9	1.8
Ib	SBGHC	2.0	1.9	1.8	1.8	1.8
Ib	SLMHC	1.8	2.0	2.1	2.2	2.4
Ib	Stevenson	2.0	1.8	1.6	1.7	1.6
Ib	WDMH	2.0	2.0	1.9	1.8	1.7
Ib	WGH	2.0	2.0	2.0	2.0	1.9
Ib	WLMH	2.1	1.9	1.9	1.8	1.8
Ib	WPSHC	2.5	2.8	2.6	2.2	2.3
Ila	BWH	2.3	2.1	2.1	2.0	1.9
Ila	CMH	2.0	2.1	1.8	1.8	1.8
Ila	Monfort	2.4	2.2	2.1	2.0	2.0
Ila	STEGH	1.7	1.7	1.7	1.7	1.7
Ilb	BCHS	2.1	2.1	2.0	1.9	1.8
Ilb	CKHA	2.1	2.0	2.1	2.0	2.0
Ilb	GBHS	2.1	2.0	2.1	2.0	2.0
Ilb	GRH	1.9	1.9	1.9	1.8	1.8
Ilb	HH-Oakville-Trafalgar	2.0	1.9	1.9	1.9	1.9
Ilb	HRH	2.0	1.9	1.9	1.9	2.0
Ilb	JBH	2.0	2.0	1.9	1.8	1.8
Ilb	NHS	2.1	2.1	1.9	1.9	1.9
Ilb	PRHC	2.3	2.1	2.0	2.0	2.0
Ilb	RVHS-Ajax&Pickering	1.9	1.9	1.9	1.8	1.8
Ilb	SJHC Hamilton	2.4	2.3	2.3	2.2	2.1
Ilb	SJHC Toronto	1.7	1.7	1.7	1.7	1.7
Ilb	Southlake	2.3	2.2	2.0	2.0	2.0
Ilb	THP-MH	1.8	1.9	1.8	1.8	1.7
Ilb	TSH-Birchmount	1.8	1.7	1.6	1.7	1.7
Ilb	WOHS-Brampton	2.0	2.0	2.0	1.9	1.9
Ilb	WOHS-Etobicoke	2.0	1.8	2.0	1.9	1.8
Ilc	HSN	2.0	1.9	1.9	1.8	1.7
Ilc	LH-Oshawa	2.3	2.3	2.3	2.3	2.2
Ilc	MGH / TEGH	1.9	1.9	1.9	1.9	1.9
Ilc	MSH	1.9	1.9	1.9	1.9	1.9
Ilc	NBRHC	2.3	2.0	2.0	2.0	1.9
Ilc	NYGH	2.0	2.0	2.0	1.9	2.0
Ilc	OSMH	2.6	1.9	2.0	1.9	2.0
Ilc	RVH	2.1	2.2	2.2	2.2	2.2
Ilc	RVHS-Centenary	2.5	2.1	1.9	1.9	2.0
Ilc	SAH	2.3	2.3	2.2	2.1	2.1
Ilc	TBRHSC	2.8	2.8	2.7	2.7	2.8
Ilc	THP-CVH	2.1	2.0	1.9	1.9	1.9
Ilc	TSH-General	2.0	2.0	1.9	1.8	1.9
Ilc	WRH	2.4	2.2	2.2	2.1	2.1
Ili	CH LHSC	2.6	2.7	2.7	2.7	2.8
Ili	KGH	2.5	2.3	2.2	2.2	2.2
Ili	MCH HHSC	3.6	3.3	3.3	3.3	3.3
Ili	SHS	2.9	2.8	2.6	2.6	2.6
Ili	SMH	2.3	2.3	2.2	2.3	2.2
Ili	Sunnybrook	3.3	3.2	3.0	3.0	3.1
Ili	TOH-Civic	2.7	2.7	2.6	2.6	2.3
Ili	TOH-General	2.9	2.8	2.7	2.8	2.4




1.0 Hospital Descriptors

OBS 1.04 - Total Average Inpatient Weight per Case

This table and chart present the ARIW for all inpatient obstetrical cases. The average inpatient weight per case represents the inpatient Resource Intensity Weight (RIW) which reflective of the amount of resources required by the hospital to care for patients based on the CMG during their hospital stay.

LOC	Hospital	FY1112	FY1213	FY1314	FY1415	FY1516
Ia	AMGH	0.46	0.41	0.46	0.43	0.45
Ia	DRHC	0.46	0.49	0.51	0.49	0.48
Ia	MHA-SMGH	0.45	0.45	0.43	0.45	0.45
Ia	RLMCMH	0.31	0.34	0.32	0.35	0.31
Ia	WAHA	0.45	0.52	0.44	0.49	0.48
Ib	AGH	0.50	0.49	0.50	0.49	0.50
Ib	BGH	0.52	0.48	0.47	0.48	0.49
Ib	CCH	0.54	0.55	0.53	0.51	0.51
Ib	GBGH	0.49	0.49	0.47	0.49	0.48
Ib	GMCH	0.50	0.49	0.49	0.50	0.51
Ib	HGH	0.48	0.49	0.47	0.48	0.49
Ib	HHCC	0.51	0.53	0.51	0.51	0.51
Ib	HH-Georgetown	0.48	0.48	0.46	0.49	0.40
Ib	HH-Milton	0.49	0.50	0.48	0.49	0.49
Ib	LH-Port Perry	0.47	0.45	0.47	0.46	0.45
Ib	MAHC	0.49	0.48	0.48	0.47	0.47
Ib	NGH	0.44	0.45	0.44	0.46	0.49
Ib	NHH	0.51	0.50	0.50	0.50	0.50
Ib	OHC	0.52	0.53	0.51	0.52	0.52
Ib	RMH	0.49	0.48	0.48	0.50	0.49
Ib	SBGHC	0.40	0.41	0.41	0.40	0.44
Ib	SLMHC	0.47	0.47	0.45	0.46	0.50
Ib	Stevenson	0.48	0.48	0.46	0.49	0.49
Ib	WDMH	0.49	0.50	0.48	0.47	0.47
Ib	WGH	0.49	0.48	0.49	0.48	0.49
Ib	WLMH	0.49	0.49	0.48	0.49	0.49
Ib	WPSHC	0.44	0.48	0.46	0.45	0.44
IIa	BWH	0.50	0.48	0.50	0.49	0.49
IIa	CMH	0.49	0.51	0.49	0.50	0.50
IIa	Montfort	0.51	0.50	0.51	0.52	0.52
IIa	STEGH	0.48	0.47	0.47	0.47	0.49
IIb	BCHS	0.50	0.49	0.49	0.49	0.48
IIb	CKHA	0.48	0.48	0.51	0.50	0.50
IIb	GBHS	0.50	0.49	0.49	0.50	0.51
IIb	GRH	0.50	0.51	0.51	0.51	0.51
IIb	HH-Oakville-Trafalgar	0.52	0.52	0.52	0.53	0.53
IIb	HRH	0.50	0.50	0.51	0.51	0.52
IIb	JBH	0.52	0.53	0.52	0.52	0.53
IIb	NHS	0.49	0.49	0.49	0.49	0.49
IIb	PRHC	0.52	0.51	0.52	0.52	0.52
IIb	RVHS-Ajax&Pickering	0.52	0.53	0.53	0.52	0.51
IIb	SJHC Hamilton	0.52	0.51	0.52	0.52	0.52
IIb	SJHC Toronto	0.52	0.52	0.52	0.53	0.53
IIb	Southlake	0.52	0.52	0.52	0.53	0.52
IIb	THP-MH	0.49	0.50	0.49	0.50	0.50
IIb	TSH-Birchmount	0.49	0.49	0.49	0.50	0.50
IIb	WOHS-Brampton	0.52	0.51	0.53	0.52	0.53
IIb	WOHS-Etobicoke	0.52	0.50	0.50	0.52	0.52
IIc	HSN	0.52	0.52	0.51	0.51	0.51
IIc	LH-Oshawa	0.52	0.52	0.52	0.53	0.52
IIc	MGH / TEGH	0.51	0.51	0.51	0.52	0.52
IIc	MSH	0.51	0.51	0.50	0.51	0.51
IIc	NBRHC	0.52	0.50	0.52	0.52	0.52
IIc	NYGH	0.52	0.52	0.52	0.52	0.53
IIc	OSMH	0.54	0.53	0.52	0.52	0.52
IIc	RVH	0.52	0.53	0.52	0.53	0.55
IIc	RVHS-Centenary	0.56	0.54	0.53	0.54	0.54
IIc	SAH	0.53	0.50	0.52	0.51	0.52
IIc	TBRHSC	0.50	0.51	0.50	0.51	0.52
IIc	THP-CVH	0.52	0.52	0.51	0.51	0.51
IIc	TSH-General	0.49	0.49	0.49	0.49	0.50
IIc	WRH	0.58	0.56	0.58	0.56	0.57
III	CH LHSC	0.59	0.60	0.61	0.60	0.63
III	KGH	0.56	0.54	0.54	0.54	0.56
III	MCH HHSC	0.67	0.64	0.63	0.65	0.66
III	SHS	0.62	0.63	0.62	0.62	0.62
III	SMH	0.51	0.51	0.50	0.52	0.52
III	Sunnybrook	0.69	0.68	0.65	0.67	0.69
III	TOH-Civic	0.55	0.56	0.55	0.56	0.57
III	TOH-General	0.57	0.56	0.55	0.56	0.55



1.0 Hospital Descriptors

OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as "typical" when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The "other" category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
1a	AMGH	93.5%	0.9%	5.6%	90.7%	5.5%	3.8%
1a	DRHC	94.1%	0.8%	5.0%	94.5%	2.0%	3.4%
1a	MHA-SMGH	96.9%	0.0%	3.1%	98.3%	0.0%	1.7%
1a	RLMCMH	81.8%	0.0%	18.2%	86.4%	0.0%	13.6%
1a	WAHA	94.8%	1.7%	3.4%	89.2%	7.6%	3.2%
1b	AGH	99.3%	0.5%	0.2%	98.4%	1.5%	0.1%
1b	BGH	97.8%	0.0%	2.2%	98.3%	0.0%	1.7%
1b	CCH	98.1%	0.7%	1.2%	95.5%	3.0%	1.5%
1b	GBGH	96.5%	0.6%	2.9%	96.6%	1.8%	1.6%
1b	GMCH	96.5%	0.0%	3.5%	96.9%	0.0%	3.1%
1b	HGH	98.6%	0.2%	1.1%	98.7%	0.6%	0.7%
1b	HHCC	99.1%	0.4%	0.5%	97.6%	2.1%	0.4%
1b	HH-Georgetown	100.0%	0.0%	0.0%	100.0%	0.0%	0.0%
1b	HH-Milton	98.5%	0.5%	1.0%	97.6%	1.6%	0.8%
1b	LH-Port Perry	97.4%	0.7%	1.9%	96.5%	2.1%	1.5%
1b	MAHC	95.3%	0.0%	4.7%	97.1%	0.0%	2.9%
1b	NGH	95.9%	0.5%	3.6%	96.2%	1.5%	2.3%
1b	NHH	98.4%	0.2%	1.4%	98.7%	0.6%	0.7%
1b	QHC	97.9%	1.2%	1.0%	95.5%	3.8%	0.7%
1b	RMH	97.0%	0.0%	3.0%	98.3%	0.0%	1.7%
1b	SBGHC	98.6%	0.0%	1.4%	99.2%	0.0%	0.8%
1b	SLMHC	89.8%	7.6%	2.6%	76.6%	21.2%	2.2%
1b	Stevenson	97.2%	0.2%	2.6%	97.6%	0.7%	1.6%
1b	WDMH	99.1%	0.3%	0.7%	98.6%	0.9%	0.5%

1.0 Hospital Descriptors

OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as "typical" when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The "other" category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
Ib	WGH	98.3%	0.1%	1.6%	98.7%	0.3%	1.0%
Ib	WLMH	97.7%	0.0%	2.3%	98.3%	0.0%	1.7%
Ib	WPSHC	95.2%	0.0%	4.8%	97.5%	0.0%	2.5%
IIa	BWH	98.7%	0.3%	1.0%	98.3%	1.0%	0.7%
IIa	CMH	98.2%	0.1%	1.7%	98.4%	0.5%	1.2%
IIa	Montfort	98.8%	0.7%	0.5%	96.6%	2.9%	0.4%
IIa	STEGH	98.9%	0.3%	0.8%	98.7%	0.8%	0.5%
IIb	BCHS	98.3%	0.5%	1.1%	96.6%	2.1%	1.2%
IIb	CKHA	97.1%	0.8%	2.1%	94.2%	4.5%	1.3%
IIb	GBHS	96.5%	1.6%	1.9%	90.1%	8.7%	1.3%
IIb	GRH	97.9%	1.5%	0.6%	90.1%	9.4%	0.6%
IIb	HH-Oakville-Trafalgar	98.2%	1.0%	0.8%	94.3%	5.0%	0.7%
IIb	HRH	98.0%	1.1%	0.9%	92.5%	6.9%	0.6%
IIb	JBH	98.8%	0.4%	0.8%	97.3%	2.0%	0.8%
IIb	NHS	98.3%	0.3%	1.4%	97.6%	1.2%	1.2%
IIb	PRHC	97.9%	0.9%	1.2%	92.6%	6.1%	1.3%
IIb	RVHS-Ajax&Pickering	98.8%	0.6%	0.7%	95.6%	3.9%	0.5%
IIb	SJHC Hamilton	97.3%	1.8%	0.9%	92.1%	6.7%	1.2%
IIb	SJHC Toronto	98.4%	1.0%	0.6%	92.6%	6.8%	0.6%
IIb	Southlake	98.4%	1.0%	0.7%	93.5%	5.7%	0.8%
IIb	THP-MH	99.2%	0.5%	0.3%	96.5%	3.2%	0.3%
IIb	TSH-Birchmount	98.5%	0.5%	0.9%	94.5%	4.1%	1.4%
IIb	WOHS-Brampton	97.7%	1.6%	0.8%	90.1%	9.3%	0.6%
IIb	WOHS-Etobicoke	98.2%	0.9%	0.9%	95.3%	4.1%	0.6%
IIc	HSN	96.9%	0.7%	2.4%	93.1%	4.8%	2.1%

1.0 Hospital Descriptors

OBS 1.05 - Percent Typical, Outlier & Other Inpatient Cases and Patient Days

This table displays the percentage of inpatient obstetrical cases classified as typical, outlier or other. A patient is classified as "typical" when that patient receives the normal, or predicted, inpatient course of treatment associated with a specific CMG and is discharged. Outlier cases are cases that do not receive the normal or predicted course of treatment because they arrived at, or left, the facility in circumstances that made their total length of stay or costs unpredictable. The "other" category represents deaths, sign-outs and transfers.

LOC	Hospital	% Cases			% Days		
		Typical	Outlier	Other	Typical	Outlier	Other
IIc	LH-Oshawa	98.3%	1.0%	0.7%	95.1%	4.2%	0.8%
IIc	MGH / TEGH	98.9%	0.7%	0.5%	96.0%	3.7%	0.3%
IIc	MSH	98.7%	1.0%	0.3%	93.8%	6.1%	0.1%
IIc	NBRHC	97.3%	0.4%	2.3%	95.5%	2.0%	2.5%
IIc	NYGH	98.7%	0.9%	0.4%	94.1%	5.5%	0.4%
IIc	OSMH	94.4%	1.4%	4.2%	87.1%	8.2%	4.7%
IIc	RVH	97.2%	1.4%	1.3%	88.7%	10.0%	1.3%
IIc	RVHS-Centenary	97.8%	1.8%	0.4%	89.9%	9.8%	0.3%
IIc	SAH	95.7%	1.8%	2.5%	91.3%	7.2%	1.6%
IIc	TBRHSC	91.7%	6.5%	1.8%	81.3%	17.1%	1.6%
IIc	THP-CVH	98.5%	0.9%	0.6%	94.9%	4.6%	0.5%
IIc	TSH-General	98.1%	1.4%	0.5%	91.5%	8.0%	0.5%
IIc	WRH	97.1%	2.1%	0.7%	81.0%	18.1%	0.9%
III	CH LHSC	94.2%	4.2%	1.6%	66.9%	31.4%	1.7%
III	KGH	96.0%	2.3%	1.7%	82.1%	16.2%	1.7%
III	MCH HHSC	88.0%	5.8%	6.2%	68.4%	26.0%	5.6%
III	SHS	92.5%	4.6%	2.9%	71.4%	25.5%	3.1%
III	SMH	97.0%	2.1%	0.9%	90.0%	9.3%	0.7%
III	Sunnybrook	89.2%	6.9%	4.0%	60.7%	35.4%	3.9%
III	TOH-Civic	94.6%	2.1%	3.3%	85.7%	10.3%	3.9%
III	TOH-General	94.0%	2.7%	3.3%	86.0%	10.2%	3.8%

1.0 Hospital Descriptors

OBS 1.06 - Percent Obstetrical "Transfer From" Inpatient Cases and Patient Days

This table presents the percentage of cases and associated days that were recorded as transferred from another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer From" Inpatient OBS Cases	% "Transfer From" Inpatient OBS Cases	"Transfer From" Inpatient OBS Days	% "Transfer From" Inpatient OBS Days
Ia	DRHC	<6	0.8%	3	1.0%
Ib	BGH	<6	0.3%	5	0.7%
Ib	CCH	<6	0.2%	3	0.3%
Ib	GMCH	9	2.1%	12	1.7%
Ib	HHCC	<6	0.1%	15	1.1%
Ib	HH-Milton	<6	0.1%	1	0.1%
Ib	LH-Port Perry	<6	0.4%	3	0.6%
Ib	NGH	<6	0.3%	2	0.3%
Ib	QHC	<6	0.1%	15	0.4%
Ib	SLMHC	<6	0.2%	4	0.4%
Ib	WDMH	<6	0.1%	1	0.1%
Ib	WGH	<6	0.1%	4	0.2%
IIa	BWH	<6	0.2%	3	0.1%
IIa	CMH	<6	0.3%	7	0.3%
IIa	Montfort	7	0.2%	19	0.3%
IIb	BCHS	8	0.5%	19	0.7%
IIb	CKHA	<6	0.1%	23	1.1%
IIb	GBHS	8	1.0%	39	2.4%
IIb	GRH	6	0.1%	48	0.6%
IIb	HH-Oakville-Trafalgar	7	0.3%	31	0.7%
IIb	HRH	7	0.2%	14	0.2%
IIb	JBH	6	0.4%	11	0.4%
IIb	NHS	8	0.3%	21	0.4%
IIb	PRHC	9	0.5%	54	1.5%
IIb	RVHS-Ajax&Pickering	<6	0.1%	13	0.4%
IIb	SJHC Hamilton	13	0.4%	79	1.0%
IIb	SJHC Toronto	<6	0.1%	7	0.1%
IIb	Southlake	8	0.3%	51	0.9%

1.0 Hospital Descriptors

OBS 1.06 - Percent Obstetrical "Transfer From" Inpatient Cases and Patient Days

This table presents the percentage of cases and associated days that were recorded as transferred from another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer From" Inpatient OBS Cases	% "Transfer From" Inpatient OBS Cases	"Transfer From" Inpatient OBS Days	% "Transfer From" Inpatient OBS Days
Ilb	THP-MH	<6	0.0%	2	0.0%
Ilb	TSH-Birchmount	<6	0.2%	8	0.2%
Ilb	WOHS-Brampton	9	0.2%	54	0.5%
Ilc	HSN	21	1.1%	84	2.4%
Ilc	LH-Oshawa	13	0.5%	63	1.0%
Ilc	MGH / TEGH	<6	0.0%	3	0.0%
Ilc	MSH	<6	0.0%	10	0.2%
Ilc	NBRHC	11	1.0%	28	1.4%
Ilc	NYGH	<6	0.1%	65	0.6%
Ilc	OSMH	43	4.0%	134	6.4%
Ilc	RVH	13	0.6%	136	2.8%
Ilc	RVHS-Centenary	<6	0.1%	7	0.2%
Ilc	SAH	10	1.0%	27	1.3%
Ilc	TBRHSC	16	1.0%	69	1.5%
Ilc	THP-CVH	9	0.2%	47	0.4%
Ilc	TSH-General	<6	0.2%	42	0.8%
Ilc	WRH	15	0.4%	107	1.3%
III	CH LHSC	121	1.9%	1092	6.2%
III	KGH	37	1.7%	173	3.6%
III	MCH HHSC	274	7.4%	1758	14.6%
III	SHS	354	3.8%	2421	10.0%
III	SMH	12	0.4%	53	0.8%
III	Sunnybrook	295	6.6%	2852	20.4%
III	TOH-Civic	98	2.8%	506	6.2%
III	TOH-General	103	3.0%	350	4.2%

1.0 Hospital Descriptors

OBS 1.07 - Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days

This table presents the percentage of cases and associated days that were recorded as transferred to another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer To" Inpatient OBS Cases	% "Transfer To" Inpatient OBS Cases	"Transfer To" Inpatient OBS Days	% "Transfer To" Inpatient OBS Days
Ia	AMGH	6	5.6%	7	3.8%
Ia	DRHC	<6	4.2%	7	2.4%
Ia	MHA-SMGH	<6	3.1%	3	1.7%
Ia	RLMCMH	6	18.2%	6	13.6%
Ia	WAHA	<6	1.7%	1	0.6%
Ib	AGH	<6	0.2%	1	0.1%
Ib	BGH	<6	1.4%	5	0.7%
Ib	CCH	<6	0.8%	12	1.1%
Ib	GBGH	<6	2.3%	5	1.3%
Ib	GMCH	6	1.4%	10	1.4%
Ib	HGH	<6	0.9%	4	0.5%
Ib	HHCC	<6	0.5%	5	0.4%
Ib	HH-Georgetown	0	0.0%	0	0.0%
Ib	HH-Milton	<6	0.5%	10	0.5%
Ib	LH-Port Perry	<6	1.5%	5	0.9%
Ib	MAHC	13	4.4%	14	2.7%
Ib	NGH	12	3.1%	13	1.8%
Ib	NHH	6	1.2%	6	0.6%
Ib	QHC	16	1.0%	40	1.2%
Ib	RMH	9	2.2%	9	1.3%
Ib	SBGHC	6	1.4%	6	0.8%
Ib	SLMHC	11	2.4%	21	1.9%
Ib	Stevenson	9	2.1%	9	1.3%
Ib	WDMH	<6	0.5%	5	0.4%
Ib	WGH	14	1.5%	14	0.8%
Ib	WLMH	20	2.1%	25	1.5%
Ib	WPSHC	6	4.8%	7	2.5%
Ila	BWH	6	0.5%	8	0.4%
Ila	CMH	18	1.2%	19	0.7%
Ila	Montfort	9	0.3%	10	0.1%
Ila	STEGH	<6	0.7%	5	0.4%
Ilb	BCHS	9	0.6%	25	0.9%

1.0 Hospital Descriptors

OBS 1.07 - Percent Obstetrical "Transfer To" Inpatient Cases and Patient Days

This table presents the percentage of cases and associated days that were recorded as transferred to another acute care institution for all inpatient obstetrical cases. A volume less than 6 is indicated as "<6".

LOC	Hospital	"Transfer To" Inpatient OBS Cases	% "Transfer To" Inpatient OBS Cases	"Transfer To" Inpatient OBS Days	% "Transfer To" Inpatient OBS Days
IIb	CKHA	11	1.1%	31	1.5%
IIb	GBHS	8	1.0%	8	0.5%
IIb	GRH	24	0.5%	53	0.6%
IIb	HHS-Oakville-Trafalgar	8	0.3%	12	0.3%
IIb	HRH	20	0.6%	22	0.3%
IIb	JBH	6	0.4%	10	0.4%
IIb	NHS	28	0.9%	39	0.7%
IIb	PRHC	7	0.4%	12	0.3%
IIb	RVHS-Ajax&Pickering	9	0.5%	11	0.4%
IIb	SJHC Hamilton	19	0.5%	38	0.5%
IIb	SJHC Toronto	15	0.4%	25	0.4%
IIb	Southlake	9	0.3%	13	0.2%
IIb	THP-MH	8	0.2%	11	0.2%
IIb	TSH-Birchmount	11	0.6%	17	0.5%
IIb	WOHS-Brampton	37	0.6%	119	1.0%
IIb	WOHS-Etobicoke	25	0.9%	32	0.7%
IIc	HSN	15	0.8%	18	0.5%
IIc	LH-Oshawa	8	0.3%	23	0.4%
IIc	MGH / TEGH	13	0.4%	43	0.7%
IIc	MSH	8	0.2%	15	0.2%
IIc	NBRHC	10	1.0%	17	0.9%
IIc	NYGH	19	0.3%	53	0.4%
IIc	OSMH	<6	0.4%	12	0.6%
IIc	RVH	16	0.7%	41	0.8%
IIc	RVHS-Centenary	6	0.3%	19	0.4%
IIc	SAH	16	1.6%	23	1.1%
IIc	TBRHSC	6	0.4%	36	0.8%
IIc	THP-CVH	29	0.5%	43	0.4%
IIc	TSH-General	11	0.4%	53	1.0%
IIc	WRH	13	0.3%	92	1.1%
III	CH LHSC	18	0.3%	335	1.9%
III	KGH	<6	0.1%	8	0.2%
III	MCH HHSC	26	0.7%	149	1.2%
III	SHS	28	0.3%	338	1.4%
III	SMH	7	0.2%	15	0.2%
III	Sunnybrook	48	1.1%	689	4.9%
III	TOH-Civic	25	0.7%	75	0.9%
III	TOH-General	16	0.5%	31	0.4%

1.0 Hospital Descriptors

OBS 1.08- Percent Cases and Days with Length of Stay > 30 Days

The percentage of all inpatient cases and associated days for all inpatient obstetrical cases with a total length of stay greater than 30 days is displayed in this chart. A volume less than 6 is indicated as "<6".

LOC	Hospital	Inpatient OBS Cases with Duration > 30 Days	Inpatient OBS Cases with Duration > 30 Days as % of Total OBS Cases	Inpatient OBS Days with Duration > 30 Days	Inpatient OBS Days with Duration > 30 Days as % of Total OBS Days
IIb	GBHS	<6	0.1%	35	2.1%
IIb	GRH	<6	0.1%	146	1.7%
IIb	HRH	<6	0.0%	43	0.7%
IIb	PRHC	<6	0.1%	64	1.8%
IIb	RVHS-Ajax&Pickering	<6	0.1%	38	1.3%
IIb	SJHC Hamilton	<6	0.1%	138	1.8%
IIb	Southlake	<6	0.0%	31	0.6%
IIb	THP-MH	<6	0.1%	67	1.0%
IIb	TSH-Birchmount	<6	0.1%	39	1.2%
IIb	WOHS-Brampton	<6	0.1%	165	1.4%
IIc	HSN	<6	0.1%	34	1.0%
IIc	MSH	<6	0.0%	54	0.9%
IIc	NYGH	<6	0.0%	125	1.1%
IIc	RVH	<6	0.1%	91	1.9%
IIc	RVHS-Centenary	<6	0.1%	73	1.6%
IIc	TSH-General	<6	0.1%	71	1.4%
IIc	WRH	14	0.4%	716	8.8%
III	CH LHSC	58	0.9%	2987	17.0%
III	KGH	7	0.3%	291	6.0%
III	MCH HHSC	20	0.5%	786	6.5%
III	SHS	43	0.5%	1773	7.3%
III	Sunnybrook	38	0.8%	1816	13.0%
III	TOH-Civic	<6	0.1%	150	1.8%
III	TOH-General	<6	0.0%	69	0.8%

1.0 Hospital Descriptors

OBS 1.09 - Obstetrical Top 5 CMGs

This table displays the Top 5 CMGs and the total volume of each individual CMG in each hospital. A volume less than 6 is indicated as "<6".

Ontario Obstetrical Top 5 CMGs (FY15/16)

rank	CMG+	CMG+ Description	Cases (SUM)	% of Cases
1	563	Vaginal Birth with Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	34,189	23%
2	562	Vaginal Birth with Anaesthetic and Non-Major Obstetric/Gynecologic Intervention	30,635	20%
3	565	Vaginal Birth without Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	24,142	16%
4	560	Caesarean Section with uterine scar, no induction	16,253	11%
5	559	Primary Caesarean Section, no induction	14,634	10%

Select Hospital:

Acronym	CMG+	CMG+ Description	Cases (SUM)	% of Cases
AGH	565	Vaginal Birth without Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	123	30%
AGH	563	Vaginal Birth with Anaesthetic without Non-Major Obstetric/Gynecologic Intervention	68	17%
AGH	562	Vaginal Birth with Anaesthetic and Non-Major Obstetric/Gynecologic Intervention	58	14%
AGH	559	Primary Caesarean Section, no induction	44	11%
AGH	564	Vaginal Birth without Anaesthetic with Non-Major Obstetric/Gynecologic Intervention	38	9%

Note:

Hospital level information is available in Excel document. Excel document can be downloaded on PCMCH Website<<http://www.pcmch.on.ca/>>